



Add Health

The National Longitudinal Study of Adolescent to Adult Health

All Coded Causes of Death File, Including Entity-Axis Codes, 2022 Codebook



CAROLINA
POPULATION CENTER

CAROLINA POPULATION CENTER | CAROLINA SQUARE - SUITE 210 | 123 WEST FRANKLIN STREET | CHAPEL HILL, NC 27516

Data for Wave VI of Add Health was supported by two cooperative agreements from the National Institute on Aging (1U01AG071448, principal investigator Robert A. Hummer, and 1U01AG071450, principal investigators Robert A. Hummer and Allison E. Aiello) to the University of North Carolina at Chapel Hill. Co-funding for Wave VI was provided by the Eunice Kennedy Shriver National Institute of Child Health and Human Development, the National Institute on Minority Health and Health Disparities, the National Institute on Drug Abuse, the NIH Office of Behavioral and Social Science Research, and the NIH Office of Disease Prevention. Data from Waves I-V of Add Health are from the Add Health Program Project, grant P01 HD31921 (Kathleen Mullan Harris) from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations. Add Health was originally designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill. Add Health is currently directed by Robert A. Hummer; it was previously directed by Kathleen Mullan Harris (2004-2021) and J. Richard Udry (1994-2004). Information on obtaining Add Health data is available on the project website (<https://addhealth.cpc.unc.edu>).

All Coded Causes of Death File, Including Entity-Axis Codes, 2022

Title	All Coded Causes of Death File, Including Entity-Axis Codes, 2022
File Name	ndi22p1.sas7bdat
Case Quantity	706
Variable Count	112

AID - RESPONDENT IDENTIFIER NUMBER

Type	Text
Constraints	Maximum Length: 8
AID	Respondent Identifier Number

Valid	Invalid	Minimum	Maximum
706	0	22578316	99886994

NDIVS22 - SAMPLE MEMBERS VITAL STATUS, 2022

Type	Code
Measurement Unit	numeric
NDIVS22	Sample members vital status, 2022

			Frequency	% of total	% of valid
Valid	0	alive	0	0%	0%
	1	deceased	706	100%	100%
		Total	706	100%	100%

Valid	Invalid	Minimum	Maximum
706	0	1	1

NDI00122 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00122	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	absent	688	97.45%	97.59%
	1	present	17	2.41%	2.41%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00222 - A30-A41.8/A42-A49

Type	Code
Measurement Unit	numeric
NDI00222	A30-A41.8/A42-A49

			Frequency	% of total	% of valid
Valid	0	absent	693	98.16%	98.3%
	1	present	12	1.7%	1.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00322 - A41.9

Type	Code
Measurement Unit	numeric
NDI00322	A41.9

			Frequency	% of total	% of valid
Valid	0	absent	673	95.33%	95.46%
	1	present	32	4.53%	4.54%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00422 - B20-B23

Type	Code
Measurement Unit	numeric
NDI00422	B20-B23

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00522 - B24

Type	Code
Measurement Unit	numeric
NDI00522	B24

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00622 - C00-C14/C30-C49/C51-C75

Type	Code
Measurement Unit	numeric
NDI00622	C00-C14/C30-C49/C51-C75

			Frequency	% of total	% of valid
Valid	0	absent	680	96.32%	96.45%
	1	present	25	3.54%	3.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00722 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00722	C15-C26

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00822 - C50

Type	Code
Measurement Unit	numeric
NDI00822	C50

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI00922 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00922	C76-C80

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01022 - C81-C97

Type	Code
Measurement Unit	numeric
NDI01022	C81-C97

			Frequency	% of total	% of valid
Valid	0	absent	690	97.73%	97.87%
	1	present	15	2.12%	2.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01122 - D50-D89

Type	Code
Measurement Unit	numeric
NDI01122	D50-D89

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01222 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI01222	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01322 - E10-E14.8

Type	Code
Measurement Unit	numeric
NDI01322	E10-E14.8

			Frequency	% of total	% of valid
Valid	0	absent	681	96.46%	96.6%
	1	present	24	3.4%	3.4%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01422 - E14.9

Type	Code
Measurement Unit	numeric
NDI01422	E14.9

			Frequency	% of total	% of valid
Valid	0	absent	676	95.75%	95.89%
	1	present	29	4.11%	4.11%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01522 - E66.0-E66.2/E66.9

Type	Code
Measurement Unit	numeric
NDI01522	E66.0-E66.2/E66.9

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01622 - E66.8

Type	Code
Measurement Unit	numeric
NDI01622	E66.8

			Frequency	% of total	% of valid
Valid	0	absent	685	97.03%	97.16%
	1	present	20	2.83%	2.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01722 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01722	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	absent	692	98.02%	98.16%
	1	present	13	1.84%	1.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01822 - F10

Type	Code
Measurement Unit	numeric
NDI01822	F10

			Frequency	% of total	% of valid
Valid	0	absent	685	97.03%	97.16%
	1	present	20	2.83%	2.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI01922 - F11-F17.8/F18

Type	Code
Measurement Unit	numeric
NDI01922	F11-F17.8/F18

			Frequency	% of total	% of valid
Valid	0	absent	690	97.73%	97.87%
	1	present	15	2.12%	2.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02022 - F17.9

Type	Code
Measurement Unit	numeric
NDI02022	F17.9

			Frequency	% of total	% of valid
Valid	0	absent	678	96.03%	96.17%
	1	present	27	3.82%	3.83%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02122 - F19.0/F19.2-F19.9

Type	Code
Measurement Unit	numeric
NDI02122	F19.0/F19.2-F19.9

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02222 - F19.1

Type	Code
Measurement Unit	numeric
NDI02222	F19.1

			Frequency	% of total	% of valid
Valid	0	absent	680	96.32%	96.45%
	1	present	25	3.54%	3.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02322 - G00-G37/G50-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI02322	G00-G37/G50-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02422 - G40-G47

Type	Code
Measurement Unit	numeric
NDI02422	G40-G47

			Frequency	% of total	% of valid
Valid	0	absent	693	98.16%	98.3%
	1	present	12	1.7%	1.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02522 - G93.0/G93.2-G93.9

Type	Code
Measurement Unit	numeric
NDI02522	G93.0/G93.2-G93.9

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02622 - G93.1

Type	Code
Measurement Unit	numeric
NDI02622	G93.1

			Frequency	% of total	% of valid
Valid	0	absent	690	97.73%	97.87%
	1	present	15	2.12%	2.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02722 - I00-I09/I20/I22-I24/I70-I99

Type	Code
Measurement Unit	numeric
NDI02722	I00-I09/I20/I22-I24/I70-I99

			Frequency	% of total	% of valid
Valid	0	absent	688	97.45%	97.59%
	1	present	17	2.41%	2.41%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02822 - I10

Type	Code
Measurement Unit	numeric
NDI02822	I10

			Frequency	% of total	% of valid
Valid	0	absent	677	95.89%	96.03%
	1	present	28	3.97%	3.97%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI02922 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02922	I11-I15

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03022 - I21

Type	Code
Measurement Unit	numeric
NDI03022	I21

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03122 - I25.0

Type	Code
Measurement Unit	numeric
NDI03122	I25.0

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03222 - I25.1-I25.9

Type	Code
Measurement Unit	numeric
NDI03222	I25.1-I25.9

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03322 - I26-I28

Type	Code
Measurement Unit	numeric
NDI03322	I26-I28

			Frequency	% of total	% of valid
Valid	0	absent	692	98.02%	98.16%
	1	present	13	1.84%	1.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03422 - I30-I41/I43-I46.1/I47-I48/I52

Type	Code
Measurement Unit	numeric
NDI03422	I30-I41/I43-I46.1/I47-I48/I52

			Frequency	% of total	% of valid
Valid	0	absent	688	97.45%	97.59%
	1	present	17	2.41%	2.41%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03522 - I42.0

Type	Code
Measurement Unit	numeric
NDI03522	I42.0

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03622 - I42.1-I42.9

Type	Code
Measurement Unit	numeric
NDI03622	I42.1-I42.9

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03722 - I46.9

Type	Code
Measurement Unit	numeric
NDI03722	I46.9

			Frequency	% of total	% of valid
Valid	0	absent	642	90.93%	91.06%
	1	present	63	8.92%	8.94%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03822 - I49

Type	Code
Measurement Unit	numeric
NDI03822	I49

			Frequency	% of total	% of valid
Valid	0	absent	696	98.58%	98.72%
	1	present	9	1.27%	1.28%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI03922 - I50

Type	Code
Measurement Unit	numeric
NDI03922	I50

			Frequency	% of total	% of valid
Valid	0	absent	680	96.32%	96.45%
	1	present	25	3.54%	3.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04022 - I51

Type	Code
Measurement Unit	numeric
NDI04022	I51

			Frequency	% of total	% of valid
Valid	0	absent	691	97.88%	98.01%
	1	present	14	1.98%	1.99%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04122 - I60-I69

Type	Code
Measurement Unit	numeric
NDI04122	I60-I69

			Frequency	% of total	% of valid
Valid	0	absent	682	96.6%	96.74%
	1	present	23	3.26%	3.26%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04222 - J00-J17/J20-J39/J60-J70/J85-J95/J98-J99

Type	Code
Measurement Unit	numeric
NDI04222	J00-J17/J20-J39/J60-J70/J85-J95/J98-J99

			Frequency	% of total	% of valid
Valid	0	absent	685	97.03%	97.16%
	1	present	20	2.83%	2.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04322 - J18

Type	Code
Measurement Unit	numeric
NDI04322	J18

			Frequency	% of total	% of valid
Valid	0	absent	677	95.89%	96.03%
	1	present	28	3.97%	3.97%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04422 - J40-J47

Type	Code
Measurement Unit	numeric
NDI04422	J40-J47

			Frequency	% of total	% of valid
Valid	0	absent	696	98.58%	98.72%
	1	present	9	1.27%	1.28%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04522 - J80-J84

Type	Code
Measurement Unit	numeric
NDI04522	J80-J84

			Frequency	% of total	% of valid
Valid	0	absent	691	97.88%	98.01%
	1	present	14	1.98%	1.99%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04622 - J96.0

Type	Code
Measurement Unit	numeric
NDI04622	J96.0

			Frequency	% of total	% of valid
Valid	0	absent	682	96.6%	96.74%
	1	present	23	3.26%	3.26%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04722 - J96.1-J96.9

Type	Code
Measurement Unit	numeric
NDI04722	J96.1-J96.9

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04822 - K00-K14/K35-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI04822	K00-K14/K35-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI04922 - K20-K31

Type	Code
Measurement Unit	numeric
NDI04922	K20-K31

			Frequency	% of total	% of valid
Valid	0	absent	697	98.73%	98.87%
	1	present	8	1.13%	1.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05022 - K70

Type	Code
Measurement Unit	numeric
NDI05022	K70

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05122 - K71-K77

Type	Code
Measurement Unit	numeric
NDI05122	K71-K77

			Frequency	% of total	% of valid
Valid	0	absent	683	96.74%	96.88%
	1	present	22	3.12%	3.12%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05222 - M00-M99

Type	Code
Measurement Unit	numeric
NDI05222	M00-M99

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05322 - N00-N16/N20-N99

Type	Code
Measurement Unit	numeric
NDI05322	N00-N16/N20-N99

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05422 - N17/N19

Type	Code
Measurement Unit	numeric
NDI05422	N17/N19

			Frequency	% of total	% of valid
Valid	0	absent	688	97.45%	97.59%
	1	present	17	2.41%	2.41%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05522 - N18

Type	Code
Measurement Unit	numeric
NDI05522	N18

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05622 - R00-R09

Type	Code
Measurement Unit	numeric
NDI05622	R00-R09

			Frequency	% of total	% of valid
Valid	0	absent	684	96.88%	97.02%
	1	present	21	2.97%	2.98%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05722 - R10-R49/R70-R99

Type	Code
Measurement Unit	numeric
NDI05722	R10-R49/R70-R99

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05822 - R50-R56.0/R57-R68.3/R69

Type	Code
Measurement Unit	numeric
NDI05822	R50-R56.0/R57-R68.3/R69

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI05922 - R56.8

Type	Code
Measurement Unit	numeric
NDI05922	R56.8

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06022 - R68.8

Type	Code
Measurement Unit	numeric
NDI06022	R68.8

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06122 - S00/S02-S05/S07-S09.8/S40-T06/T15-T35/T79/T90-T98

Type	Code
Measurement Unit	numeric
NDI06122	S00/S02-S05/S07-S09.8/S40-T06/T15-T35/T79/T90-T98

			Frequency	% of total	% of valid
Valid	0	absent	679	96.18%	96.31%
	1	present	26	3.68%	3.69%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06222 - S01.0-S01.8

Type	Code
Measurement Unit	numeric
NDI06222	S01.0-S01.8

			Frequency	% of total	% of valid
Valid	0	absent	692	98.02%	98.16%
	1	present	13	1.84%	1.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06322 - S01.9

Type	Code
Measurement Unit	numeric
NDI06322	S01.9

			Frequency	% of total	% of valid
Valid	0	absent	669	94.76%	94.89%
	1	present	36	5.1%	5.11%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06422 - S06.0-S06.7/S06.9

Type	Code
Measurement Unit	numeric
NDI06422	S06.0-S06.7/S06.9

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06522 - S06.8

Type	Code
Measurement Unit	numeric
NDI06522	S06.8

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06622 - S09.9

Type	Code
Measurement Unit	numeric
NDI06622	S09.9

			Frequency	% of total	% of valid
Valid	0	absent	665	94.19%	94.33%
	1	present	40	5.67%	5.67%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06722 - S10-S19

Type	Code
Measurement Unit	numeric
NDI06722	S10-S19

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06822 - S20/S22-S29.8

Type	Code
Measurement Unit	numeric
NDI06822	S20/S22-S29.8

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI06922 - S21

Type	Code
Measurement Unit	numeric
NDI06922	S21

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07022 - S29.9

Type	Code
Measurement Unit	numeric
NDI07022	S29.9

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07122 - S30-S39

Type	Code
Measurement Unit	numeric
NDI07122	S30-S39

			Frequency	% of total	% of valid
Valid	0	absent	685	97.03%	97.16%
	1	present	20	2.83%	2.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07222 - T07

Type	Code
Measurement Unit	numeric
NDI07222	T07

			Frequency	% of total	% of valid
Valid	0	absent	667	94.48%	94.61%
	1	present	38	5.38%	5.39%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07322 - T08-T14.0/T14.2-T14.8

Type	Code
Measurement Unit	numeric
NDI07322	T08-T14.0/T14.2-T14.8

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07422 - T14.1

Type	Code
Measurement Unit	numeric
NDI07422	T14.1

			Frequency	% of total	% of valid
Valid	0	absent	665	94.19%	94.33%
	1	present	40	5.67%	5.67%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07522 - T14.9

Type	Code
Measurement Unit	numeric
NDI07522	T14.9

			Frequency	% of total	% of valid
Valid	0	absent	676	95.75%	95.89%
	1	present	29	4.11%	4.11%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07622 - T36-T39/T41-T42/T44-T50.8

Type	Code
Measurement Unit	numeric
NDI07622	T36-T39/T41-T42/T44-T50.8

			Frequency	% of total	% of valid
Valid	0	absent	680	96.32%	96.45%
	1	present	25	3.54%	3.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07722 - T40.0/T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI07722	T40.0/T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	absent	691	97.88%	98.01%
	1	present	14	1.98%	1.99%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07822 - T40.1

Type	Code
Measurement Unit	numeric
NDI07822	T40.1

			Frequency	% of total	% of valid
Valid	0	absent	690	97.73%	97.87%
	1	present	15	2.12%	2.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI07922 - T40.2

Type	Code
Measurement Unit	numeric
NDI07922	T40.2

			Frequency	% of total	% of valid
Valid	0	absent	680	96.32%	96.45%
	1	present	25	3.54%	3.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08022 - T40.4

Type	Code
Measurement Unit	numeric
NDI08022	T40.4

			Frequency	% of total	% of valid
Valid	0	absent	664	94.05%	94.18%
	1	present	41	5.81%	5.82%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08122 - T40.5

Type	Code
Measurement Unit	numeric
NDI08122	T40.5

			Frequency	% of total	% of valid
Valid	0	absent	681	96.46%	96.6%
	1	present	24	3.4%	3.4%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08222 - T43.0-T43.5/T43.8-T43.9

Type	Code
Measurement Unit	numeric
NDI08222	T43.0-T43.5/T43.8-T43.9

			Frequency	% of total	% of valid
Valid	0	absent	697	98.73%	98.87%
	1	present	8	1.13%	1.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08322 - T43.6

Type	Code
Measurement Unit	numeric
NDI08322	T43.6

			Frequency	% of total	% of valid
Valid	0	absent	685	97.03%	97.16%
	1	present	20	2.83%	2.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08422 - T50.9

Type	Code
Measurement Unit	numeric
NDI08422	T50.9

			Frequency	% of total	% of valid
Valid	0	absent	649	91.93%	92.06%
	1	present	56	7.93%	7.94%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08522 - T51-T65

Type	Code
Measurement Unit	numeric
NDI08522	T51-T65

			Frequency	% of total	% of valid
Valid	0	absent	675	95.61%	95.74%
	1	present	30	4.25%	4.26%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08622 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI08622	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	absent	692	98.02%	98.16%
	1	present	13	1.84%	1.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08722 - T71

Type	Code
Measurement Unit	numeric
NDI08722	T71

			Frequency	% of total	% of valid
Valid	0	absent	676	95.75%	95.89%
	1	present	29	4.11%	4.11%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08822 - T80-T88

Type	Code
Measurement Unit	numeric
NDI08822	T80-T88

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI08922 - U07

Type	Code
Measurement Unit	numeric
NDI08922	U07

			Frequency	% of total	% of valid
Valid	0	absent	683	96.74%	96.88%
	1	present	22	3.12%	3.12%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09022 - V01-V09

Type	Code
Measurement Unit	numeric
NDI09022	V01-V09

			Frequency	% of total	% of valid
Valid	0	absent	692	98.02%	98.16%
	1	present	13	1.84%	1.84%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09122 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI09122	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	absent	688	97.45%	97.59%
	1	present	17	2.41%	2.41%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09222 - V40-V48

Type	Code
Measurement Unit	numeric
NDI09222	V40-V48

			Frequency	% of total	% of valid
Valid	0	absent	687	97.31%	97.45%
	1	present	18	2.55%	2.55%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09322 - V49

Type	Code
Measurement Unit	numeric
NDI09322	V49

			Frequency	% of total	% of valid
Valid	0	absent	690	97.73%	97.87%
	1	present	15	2.12%	2.13%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09422 - V80-V89.1/V89.3-V89.9

Type	Code
Measurement Unit	numeric
NDI09422	V80-V89.1/V89.3-V89.9

			Frequency	% of total	% of valid
Valid	0	absent	686	97.17%	97.3%
	1	present	19	2.69%	2.7%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09522 - V89.2

Type	Code
Measurement Unit	numeric
NDI09522	V89.2

			Frequency	% of total	% of valid
Valid	0	absent	677	95.89%	96.03%
	1	present	28	3.97%	3.97%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09622 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI09622	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	absent	674	95.47%	95.6%
	1	present	31	4.39%	4.4%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09722 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI09722	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	absent	689	97.59%	97.73%
	1	present	16	2.27%	2.27%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09822 - X42

Type	Code
Measurement Unit	numeric
NDI09822	X42

			Frequency	% of total	% of valid
Valid	0	absent	651	92.21%	92.34%
	1	present	54	7.65%	7.66%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI09922 - X44

Type	Code
Measurement Unit	numeric
NDI09922	X44

			Frequency	% of total	% of valid
Valid	0	absent	657	93.06%	93.19%
	1	present	48	6.8%	6.81%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10022 - X45

Type	Code
Measurement Unit	numeric
NDI10022	X45

			Frequency	% of total	% of valid
Valid	0	absent	683	96.74%	96.88%
	1	present	22	3.12%	3.12%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10122 - X60-X69/X71/X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI10122	X60-X69/X71/X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	absent	683	96.74%	96.88%
	1	present	22	3.12%	3.12%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10222 - X70

Type	Code
Measurement Unit	numeric
NDI10222	X70

			Frequency	% of total	% of valid
Valid	0	absent	684	96.88%	97.02%
	1	present	21	2.97%	2.98%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10322 - X72

Type	Code
Measurement Unit	numeric
NDI10322	X72

			Frequency	% of total	% of valid
Valid	0	absent	695	98.44%	98.58%
	1	present	10	1.42%	1.42%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10422 - X74

Type	Code
Measurement Unit	numeric
NDI10422	X74

			Frequency	% of total	% of valid
Valid	0	absent	684	96.88%	97.02%
	1	present	21	2.97%	2.98%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10522 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI10522	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	absent	694	98.3%	98.44%
	1	present	11	1.56%	1.56%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	

		Total	1	0.14%	
--	--	-------	---	-------	--

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10622 - X95

Type	Code
Measurement Unit	numeric
NDI10622	X95

			Frequency	% of total	% of valid
Valid	0	absent	669	94.76%	94.89%
	1	present	36	5.1%	5.11%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10722 - Y10-Y36/Y85-Y98

Type	Code
Measurement Unit	numeric
NDI10722	Y10-Y36/Y85-Y98

			Frequency	% of total	% of valid
Valid	0	absent	691	97.88%	98.01%
	1	present	14	1.98%	1.99%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10822 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI10822	Y40-Y84

			Frequency	% of total	% of valid
Valid	0	absent	691	97.88%	98.01%
	1	present	14	1.98%	1.99%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDI10922 - 96: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI10922	96: suppressed

			Frequency	% of total	% of valid
Valid	0	absent	681	96.46%	96.6%
	1	present	24	3.4%	3.4%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	1

NDIOPD22 - OPIOID RELATED COD, 2022

Type	Code
Measurement Unit	numeric
NDIOPD22	Opioid-Relatedness of Cause of Death, 2022

			Frequency	% of total	% of valid
Valid	0	no	577	81.73%	81.84%
	1	suspect	41	5.81%	5.82%
	2	probable	7	0.99%	0.99%
	3	definite	80	11.33%	11.35%
		Total	705	99.86%	100%
Missing	-9992	missing in source	1	0.14%	
		Total	1	0.14%	

Valid	Invalid	Minimum	Maximum
705	1	0	3

