

2025

Add Health Wave VI Codebook



# Add Health

The National Longitudinal Study of Adolescent to Adult Health

## Add Health as a Resource for the Science of the Exposome:

### Structural Sexism Measures Codebook



CAROLINA POPULATION CENTER | CAROLINA SQUARE - SUITE 210 | 123 WEST FRANKLIN STREET | CHAPEL HILL, NC 27516

## Acknowledgement

Data collection and dissemination for Wave VI of Add Health was funded by cooperative agreements U01 AG071448 (PI: Robert A. Hummer) and U01 AG071450 (MPIs: Robert A. Hummer and Allison E. Aiello), along with a special exposome supplement (U01-AG071450-02S1, MPIs: Robert A. Hummer, Allison E. Aiello, and Eric A. Whitset), all from the National Institute on Aging to the University of North Carolina at Chapel Hill. Co-funding for Wave VI was received from five other institutes and offices at the National Institutes of Health: the Eunice Kennedy Shriver National Institute of Child Health and Human Development, the National Institute on Minority Health and Health Disparities, the National Institute on Drug Abuse, the Office of Disease Prevention, and the Office of Behavioral and Social Science Research. Waves I-V of Add Health were funded by grant P01 HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations. Add Health is currently directed by Robert A. Hummer at the University of North Carolina at Chapel Hill. Add Health was designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill. Information on obtaining Add Health data is available on the project website (<https://addhealth.cpc.unc.edu>).

**Important Note: The above acknowledgement should be included in all presentations and publications using exposome data from Add Health.**



## Structural Sexism Measures

|                |                            |
|----------------|----------------------------|
| Title          | Structural Sexism Measures |
| File Name      | w5sexism.sas7bdat          |
| Case Quantity  | 20745                      |
| Variable Count | 757                        |



## AID - RESPONDENT IDENTIFIER

|             |                   |
|-------------|-------------------|
| Type        | Text              |
| Constraints | Maximum Length: 8 |

| Valid | Invalid | Minimum  | Maximum  |
|-------|---------|----------|----------|
| 20745 | 0       | 10316654 | 99886999 |



## R5SREPRO282 - DISTANCE (MILES) TO NEAREST ABORTION FACILITY

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,446     | 45.53%     |            |

| Valid | Invalid | Minimum  | Maximum    | Mean         | StdDev       |
|-------|---------|----------|------------|--------------|--------------|
| 11299 | 9446    | 0.069157 | 378.264661 | 26.343672... | 37.146751... |



## R5SREPRO283 - DISTANCE (MILES) TO NEAREST ABORTION FACILITY

OFFERING MAB

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,446     | 45.53%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |          |            |              |              |
|-------|------|----------|------------|--------------|--------------|
| 11299 | 9446 | 0.069157 | 378.264661 | 26.981257... | 37.631890... |
|-------|------|----------|------------|--------------|--------------|

### R5SREPRO285 - DISTANCE (MILES) TO NEAREST ABORTION FACILITY OFFERING TAB

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,446     | 45.53%     |            |

| Valid | Invalid | Minimum  | Maximum    | Mean         | StdDev       |
|-------|---------|----------|------------|--------------|--------------|
| 11299 | 9446    | 0.069157 | 378.264661 | 28.559685... | 38.911983... |

### S1SPOLREP001 - PCT WOMEN IN STATE LEGISLATURE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 0.036   | 0.349   | 0.1921528... | 0.0591889... |

### S2SPOLREP001 - PCT WOMEN IN STATE LEGISLATURE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 0.036   | 0.349   | 0.1925301... | 0.0580137... |

### S3SPOLREP001 - PCT WOMEN IN STATE LEGISLATURE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 21        | 0.1%       |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,877     | 28.33%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14868 | 5877    | 0.079   | 0.388   | 0.2225679... | 0.0653852... |

### S4SPOLREP001 - PCT WOMEN IN STATE LEGISLATURE

Type      Numeric (Double)

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 29        | 0.14%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,078     | 24.48%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15667 | 5078    | 0.1     | 0.375   | 0.2351271... | 0.0594726... |

### S5SPOLREP001 - PCT WOMEN IN STATE LEGISLATURE

Type      Numeric (Double)

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 0.111   | 0.46    | 0.2421427... | 0.0644757... |

### S1SPUBBEN003 - GENEROSITY PERCENTAGE

Type      Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |     |   |     |              |              |
|-------|-----|---|-----|--------------|--------------|
| 20612 | 133 | 0 | 0.5 | 0.0170929... | 0.0660035... |
|-------|-----|---|-----|--------------|--------------|

### S2SPUBBEN003 - GENEROSITY PERCENTAGE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 0       | 0.5     | 0.0230620... | 0.0764479... |

### S3SPUBBEN003 - GENEROSITY PERCENTAGE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 11838     | 57.06%     |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 17,694    | 85.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 3051  | 17694   | 0.05    | 0.33    | 0.1663176... | 0.0952793... |

### S4SPUBBEN003 - GENEROSITY PERCENTAGE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 10451     | 50.38%     |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 15,500    | 74.72%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 5245  | 15500   | 0.035   | 0.4     | 0.1451544... | 0.1081790... |

### S5SPUBBEN003 - GENEROSITY PERCENTAGE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 4748   | 22.89% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 14,124 | 68.08% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 6621  | 14124   | 0.03    | 1.25    | 0.3562227... | 0.3427395... |

### S5SREPRO103 - PCT OF ALL US ABORTIONS, BY STATE OF OCCURRENCE, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.166   | 0.0517442... | 0.0545927... |

### S5SREPRO159 - PCT WOMEN 18-49 USING CONTRACEPTIVES, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.618   | 0.78    | 0.6929948... | 0.0373761... |

### S5SREPRO160 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY USING CONTRACEPTION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |        |  |
|--|--|-------|--------|--------|--|
|  |  | Total | 11,257 | 54.26% |  |
|--|--|-------|--------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.662   | 0.841   | 0.7403089... | 0.0356122... |

### S5SREPRO213 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON FEMALE STERILIZATION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.032   | 0.274   | 0.1330936... | 0.0397409... |

### S5SREPRO214 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON MALE STERILIZATION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 3664      | 17.66%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 13,040    | 62.86%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 7705  | 13040   | 0.013   | 0.057   | 0.0296746... | 0.0116237... |

### S5SREPRO215 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON CONTRACEPTIVE IMPLANT, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 6544      | 31.54%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |        |  |
|--|--|-------|--------|--------|--|
|  |  | Total | 15,920 | 76.74% |  |
|--|--|-------|--------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 4825  | 15920   | 0.022   | 0.08    | 0.0371502... | 0.0091713... |

### S5SREPRO216 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON THE IUD, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.045   | 0.24    | 0.0889651... | 0.0269415... |

### S5SREPRO217 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON THE PILL, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.102   | 0.254   | 0.1693523... | 0.0282719... |

### S5SREPRO218 - PCT WOMEN AT RISK OF UNINTENDED PREG RELYING OTH noN-LARC HORMONAL METHODS, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 5271      | 25.41%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |       |  |
|--|--|-------|--------|-------|--|
|  |  | Total | 14,647 | 70.6% |  |
|--|--|-------|--------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 6098  | 14647   | 0.015   | 0.059   | 0.0304875... | 0.0094400... |

### S5SREPRO219 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON CONDOMS, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.101   | 0.289   | 0.1918714... | 0.0353145... |

### S5SREPRO220 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY RELYING ON WITHDRAWAL, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 7247      | 34.93%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 16,623    | 80.13%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 4122  | 16623   | 0.008   | 0.031   | 0.0193891... | 0.0070958... |

### S5SREPRO221 - PCT WOMEN AT RISK OF UNINTENDED PREG RELYING OTH METHODS OF CONTRACEPTION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2834      | 13.66%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |        |  |
|--|--|-------|--------|--------|--|
|  |  | Total | 12,210 | 58.86% |  |
|--|--|-------|--------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8535  | 12210   | 0.032   | 0.086   | 0.0547525... | 0.0119180... |

### S5SREPRO222 - PCT WOMEN AT RISK OF UNINTENDED PREGNANCY not USING A CONTRACEPTIVE METHOD, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1881      | 9.07%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,257    | 54.26%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9488  | 11257   | 0.159   | 0.338   | 0.2596910... | 0.0356122... |

### S1SPUBBEN005 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (2018 USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 361       | 1.74%      |            |
|         | -9990 | geocode missing            | 133       | 0.64%      |            |
|         |       | Total                      | 494       | 2.38%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20251 | 494     | 328.95  | 552.22  | 333.71749... | 25.637728... |

### S2SPUBBEN005 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (2018 USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 266       | 1.28%      |            |
|         | -9991 | not interviewed            | 6009      | 28.97%     |            |
|         | -9990 | geocode missing            | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,356 | 30.64% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14389 | 6356    | 331.32  | 553.22  | 334.38887... | 25.915495... |

### S3SPUBBEN005 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (2018 USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 283       | 1.36%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 6,139     | 29.59%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14606 | 6139    | 323.57  | 502.21  | 328.48590... | 20.232266... |

### S4SPUBBEN005 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (2018 USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 286       | 1.38%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,335     | 25.72%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15410 | 5335    | 335.59  | 658.07  | 341.95446... | 20.395928... |

### S5SPUBBEN005 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (2018 USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 323       | 1.56%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 9,699 | 46.75% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11046 | 9699    | 347.85  | 663.09  | 367.08094... | 29.747603... |

### S3SPUBBEN007 - UPPER INCOME LIMIT

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 105       | 0.51%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,961     | 28.73%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14784 | 5961    | 1.33    | 3.5     | 2.1513379... | 0.3841361... |

### S4SPUBBEN007 - UPPER INCOME LIMIT

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 1.4     | 4       | 2.2469960... | 0.3912568... |

### S5SPUBBEN007 - UPPER INCOME LIMIT

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1.52    | 4.05    | 2.5877746... | 0.5411261... |

### S5SREPRO100 - PCT CHANGE IN ABORTION RATE, 2017-2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -0.98   | 1       | 0.0492101... | 0.1940874... |

### S5SREPRO101 - PCT CHANGE IN NUMBER OF ABORTION CLINICS, 2017-2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -0.67   | 1       | 0.0541991... | 0.2454994... |

### S5SREPRO102 - PCT CHANGE IN NUMBER OF ABORTION PROVIDERS, 2014-2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -0.4    | 1.33    | -0.029554... | 0.2409540... |

### S5SREPRO104 - PCT OF COUNTIES WITHOUT A KNOWN ABORTION PROVIDER, 2014

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.99    | 0.7270138... | 0.2871019... |

### S5SREPRO105 - PCT OF COUNTIES WITHOUT A KNOWN ABORTION CLINIC, 2014

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.99    | 0.7667921... | 0.2415764... |

### S5SREPRO106 - PCT OF RESIDENTS OBTAINING ABORTIONS WHO TRAVELED OUT OF STATE FOR CARE, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.99    | 0.1321972... | 0.1928261... |

### S5SREPRO107 - PCT OF WOMEN AGED 15-44 LIVING IN A COUNTY WITHOUT A CLINIC, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.96    | 0.3953126... | 0.2709983... |

### S5SREPRO108 - PCT OF WOMEN AGED 15-44 LIVING IN A COUNTY WITHOUT AN ABORTION PROVIDER, 2014

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 0.96    | 0.3621365... | 0.2625009... |

### S5SREPRO155 - PCT CHANGE IN WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -0.04   | 0.19    | 0.0794185... | 0.0587018... |

### S5SREPRO156 - PCT CHANGE IN WOMEN WITH POTENTIAL DEMAND FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |       |      |              |              |
|-------|------|-------|------|--------------|--------------|
| 11369 | 9376 | -0.02 | 0.24 | 0.0805488... | 0.0548175... |
|-------|------|-------|------|--------------|--------------|

### S5SREPRO157 - PCT LIKELY NEED MET BY TITLE X-FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.05    | 0.76    | 0.1778599... | 0.1069914... |

### S5SREPRO158 - PCT LIKELY NEED MET BY PUBLICLY FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.14    | 0.88    | 0.2998715... | 0.1581099... |

### S5SREPRO161 - PCT UNINSURED WOMEN 20-44 & <138% FPL WHO LIKELY NEED PUB SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.04    | 0.48    | 0.2193288... | 0.1075995... |

### S5SREPRO162 - PCT UNINSURED WOMEN 20-44 & 138%-250% FPL WHO LIKELY NEED PUB SUPPORT CSS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 0.05            | 0.32             | 0.1626572... | 0.0601685... |

### S5SREPRO163 - PCT UNINSURED WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 0.03            | 0.34             | 0.1562177... | 0.0729927... |

### S5SREPRO164 - PCT UNINSURED WOMEN UNDER 20 WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 0.01            | 0.17             | 0.0706895... | 0.0387307... |

### S5SREPRO223 - PCT WOMEN 15-44 COVERED BY MEDICAID, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.09    | 0.38    | 0.2147858... | 0.0589747... |

### S5SREPRO224 - PCT WOMEN 15-44 COVERED BY PRIVATE INSURANCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.46    | 0.78    | 0.6418286... | 0.0425877... |

### S5SREPRO225 - PCT WOMEN 15-44 WHO ARE UNINSURED, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.03    | 0.24    | 0.1144251... | 0.0527580... |

### S1SREPRO001 - PREGNANCY RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 3.2     | 22.4    | 13.575252... | 3.9581913... |

### S2SREPRO001 - PREGNANCY RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 3.2     | 22.4    | 13.474718... | 3.9881685... |

### S3SREPRO001 - PREGNANCY RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 56        | 0.27%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,912     | 28.5%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14833 | 5912    | 2.1     | 37.6    | 10.528868... | 3.1500866... |

### S4SREPRO001 - PREGNANCY RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 58        | 0.28%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,107     | 24.62%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |     |      |              |              |
|-------|------|-----|------|--------------|--------------|
| 15638 | 5107 | 1.4 | 24.7 | 7.0534723... | 1.9572904... |
|-------|------|-----|------|--------------|--------------|

### S5SREPRO001 - PREGNANCY RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 95        | 0.46%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,471     | 45.65%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11274 | 9471    | 0.8     | 8.7     | 2.3512950... | 0.6818350... |

### S1SREPRO002 - PREGNANCY RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 32.4    | 88.5    | 63.111871... | 12.827055... |

### S2SREPRO002 - PREGNANCY RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 32.4    | 88.5    | 62.795127... | 12.956925... |

### S3SREPRO002 - PREGNANCY RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 5575  | 26.87% |  |
|         | -9990 | geocode missing | 281   | 1.35%  |  |
|         |       | Total           | 5,856 | 28.23% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 20.1    | 114.9   | 49.683101... | 9.8723597... |

### S4SREPRO002 - PREGNANCY RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 14.3    | 112.7   | 38.087773... | 7.8513643... |

### S5SREPRO002 - PREGNANCY RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 6.6     | 35.3    | 14.197533... | 3.0232798... |

### S1SREPRO003 - PREGNANCY RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 92.2    | 219.2   | 156.71317... | 28.825645... |

### S2SREPRO003 - PREGNANCY RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 92.2    | 219.2   | 156.10633... | 29.019270... |

### S3SREPRO003 - PREGNANCY RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 71.2    | 190     | 139.45121... | 21.818875... |

### S4SREPRO003 - PREGNANCY RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 60.5    | 151.2   | 117.35656... | 17.966684... |

### S5SREPRO003 - PREGNANCY RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|      |       |      |      |              |              |
|------|-------|------|------|--------------|--------------|
| 9325 | 11420 | 27.1 | 86.8 | 58.583217... | 11.419434... |
|------|-------|------|------|--------------|--------------|

### S1SREPRO004 - PREGNANCY RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 55.8    | 138.8   | 99.629497... | 18.252153... |

### S2SREPRO004 - PREGNANCY RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 55.8    | 138.8   | 99.196199... | 18.415668... |

### S3SREPRO004 - PREGNANCY RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 41.4    | 121.8   | 85.955618... | 14.035444... |

### S4SREPRO004 - PREGNANCY RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 5,049 | 24.34% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 33.3    | 112.9   | 70.165194... | 11.279604... |

### S5SREPRO004 - PREGNANCY RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15.9    | 47.3    | 32.178406... | 5.7501140... |

### S1SREPRO005 - PREGNANCY RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 56.8    | 143.2   | 102.45722... | 18.961805... |

### S2SREPRO005 - PREGNANCY RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 56.8    | 143.2   | 102.00210... | 19.134407... |

### S3SREPRO005 - PREGNANCY RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 41.8    | 127     | 88.024951... | 14.530847... |

### S4SREPRO005 - PREGNANCY RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 33.5    | 116.2   | 71.508498... | 11.596732... |

### S5SREPRO005 - PREGNANCY RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15.9    | 48.4    | 32.637611... | 5.8583874... |

### S1SREPRO006 - PREGNANCY RATE AMONG WOMEN AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 134.7   | 259.8   | 187.21545... | 29.575903... |

### S2SREPRO006 - PREGNANCY RATE AMONG WOMEN AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 134.7   | 259.8   | 186.70205... | 29.654230... |

### S3SREPRO006 - PREGNANCY RATE AMONG WOMEN AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 113.7   | 225.8   | 184.11765... | 22.143137... |

### S4SREPRO006 - PREGNANCY RATE AMONG WOMEN AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 100.5   | 202.2   | 166.39001... | 18.007405... |

 S5SREPRO006 - PREGNANCY RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 61.5    | 146.6   | 114.54837... | 16.135952... |

 S1SREPRO007 - PREGNANCY RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 130.1   | 206.4   | 165.14764... | 18.437658... |

 S2SREPRO007 - PREGNANCY RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 130.1   | 206.4   | 165.07109... | 18.379822... |

 S3SREPRO007 - PREGNANCY RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean    | StdDev       |
|-------|---------|---------|---------|---------|--------------|
| 14889 | 5856    | 127.4   | 221.2   | 1.71E+2 | 13.742184... |

### S4SREPRO007 - PREGNANCY RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 121.8   | 221.3   | 167.92726... | 9.8865518... |

### S5SREPRO007 - PREGNANCY RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 75.8    | 193.7   | 143.43002... | 12.660703... |

### S1SREPRO008 - PREGNANCY RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 74.9    | 151.9   | 115.50356... | 19.900355... |

### S2SREPRO008 - PREGNANCY RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 74.9    | 151.9   | 115.46804... | 19.866935... |

### S3SREPRO008 - PREGNANCY RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 78.6    | 166.2   | 126.37920... | 19.933907... |

### S4SREPRO008 - PREGNANCY RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 92.4    | 176.7   | 135.86511... | 18.886228... |

### S5SREPRO008 - PREGNANCY RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 104     | 181.1   | 135.38151... | 14.383464... |

### S1SREPRO009 - PREGNANCY RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 24.8    | 73.4    | 52.299131... | 14.680665... |

### S2SREPRO009 - PREGNANCY RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 24.8    | 73.4    | 52.185458... | 14.655286... |

### S3SREPRO009 - PREGNANCY RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 29.2    | 80.4    | 57.106004... | 14.523800445 |

### S4SREPRO009 - PREGNANCY RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 36.9    | 111.5   | 65.288525... | 15.761420... |

### S5SREPRO009 - PREGNANCY RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 41      | 102.8   | 70.615040... | 15.421967... |

### S1SREPRO010 - PREGNANCY RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 4.8     | 19.8    | 12.294197... | 4.7233045... |

### S2SREPRO010 - PREGNANCY RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 4.8     | 19.8    | 12.254397... | 4.7094051... |

### S3SREPRO010 - PREGNANCY RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 5.5     | 24.8    | 13.414520... | 4.8017719... |

 S4SREPRO010 - PREGNANCY RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 7.6     | 36.2    | 15.930485... | 5.5157962... |

 S5SREPRO010 - PREGNANCY RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7.5     | 36.1    | 17.832667... | 5.9305300... |

 S1SREPRO011 - ABORTION RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1.5     | 11.3    | 5.5854453... | 2.4934374... |

 S2SREPRO011 - ABORTION RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1.5     | 11.3    | 5.5324940... | 2.4808036... |

### S3SREPRO011 - ABORTION RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 81        | 0.39%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,937     | 28.62%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14808 | 5937    | 1.3     | 21.7    | 4.5472920... | 2.0715986... |

### S4SREPRO011 - ABORTION RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 438       | 2.11%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,487     | 26.45%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15258 | 5487    | 0.8     | 10.3    | 3.2126032... | 1.2056476... |

### S5SREPRO011 - ABORTION RATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 734       | 3.54%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,110    | 48.73%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10635 | 10110   | 0.3     | 2.3     | 1.0297226... | 0.3976840... |

### S1SREPRO012 - ABORTION RATE AMONG WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 7.5     | 34.6    | 19.803963... | 9.3200685... |

### S2SREPRO012 - ABORTION RATE AMONG WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 7.5     | 34.6    | 19.658642... | 9.3106611... |

### S3SREPRO012 - ABORTION RATE AMONG WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 3.3     | 51.9    | 14.826972... | 7.4251457... |

### S4SREPRO012 - ABORTION RATE AMONG WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 3.2     | 54.5    | 10.584390... | 5.1444342... |

 S5SREPRO012 - ABORTION RATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 1       | 14.6    | 3.7963646... | 1.8772803... |

 S1SREPRO013 - ABORTION RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 18.1    | 78.9    | 46.366951... | 20.380615... |

 S2SREPRO013 - ABORTION RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 18.1    | 78.9    | 46.067853... | 20.364879... |

 S3SREPRO013 - ABORTION RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 5,856 | 28.23% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 8.5     | 79.4    | 38.688125... | 17.545037... |

#### S4SREPRO013 - ABORTION RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 8.3     | 55.9    | 28.838716... | 11.364710... |

#### S5SREPRO013 - ABORTION RATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 4.8     | 28.4    | 13.179184... | 5.2078109... |

#### S1SREPRO014 - ABORTION RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 12      | 50.4    | 30.130749... | 13.418096... |

#### S2SREPRO014 - ABORTION RATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 12      | 50.4    | 29.924817... | 13.405336... |

### S3SREPRO014 - ABORTION RATE AMONG WOMEN AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 5.8     | 52.6    | 24.391906... | 11.201049... |

### S4SREPRO014 - ABORTION RATE AMONG WOMEN AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 5.5     | 46.8    | 17.959034... | 7.4287756... |

### S5SREPRO014 - ABORTION RATE AMONG WOMEN AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.6     | 19.8    | 7.4857595... | 3.2055763... |

## S1SREPRO015 - ABORTION RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 12.6    | 52.7    | 31.298510... | 13.874388... |

## S2SREPRO015 - ABORTION RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 12.6    | 52.7    | 31.081030... | 13.860426... |

## S3SREPRO015 - ABORTION RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 6       | 55.5    | 25.314567... | 11.584814... |

### S4SREPRO015 - ABORTION RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 5.7     | 48.2    | 18.535149... | 7.6213750... |

### S5SREPRO015 - ABORTION RATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.6     | 20.2    | 7.6875098... | 3.2783082... |

### S1SREPRO016 - ABORTION RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 16.7    | 87.7    | 50.190078... | 20.092301... |

### S2SREPRO016 - ABORTION RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 6009  | 28.97% |  |
|         | -9990 | geocode missing | 81    | 0.39%  |  |
|         |       | Total           | 6,090 | 29.36% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 16.7    | 87.7    | 49.921112... | 20.058322... |

### S3SREPRO016 - ABORTION RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 10.8    | 90.4    | 46.130183... | 19.686467... |

### S4SREPRO016 - ABORTION RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 10.4    | 67.3    | 37.494074... | 13.999557... |

### S5SREPRO016 - ABORTION RATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7.2     | 49.3    | 23.062186... | 9.0258411... |

### S1SREPRO017 - ABORTION RATE AMONG WOMEN AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 11.5    | 55.2    | 31.496472... | 12.732912... |

### S2SREPRO017 - ABORTION RATE AMONG WOMEN AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 11.5    | 55.2    | 31.334868... | 12.678142... |

### S3SREPRO017 - ABORTION RATE AMONG WOMEN AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 9.1     | 55.7    | 30.888347... | 12.965879... |

### S4SREPRO017 - ABORTION RATE AMONG WOMEN AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 8.3     | 52.2    | 27.265768... | 10.676970... |

### S5SREPRO017 - ABORTION RATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 6.5     | 50.3    | 21.088732... | 8.5542205... |

### S1SREPRO018 - ABORTION RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 6       | 33.2    | 17.118668... | 7.3258574... |

### S2SREPRO018 - ABORTION RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 6       | 33.2    | 17.024019... | 7.2870129... |

### S3SREPRO018 - ABORTION RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 6.1     | 34.9    | 17.569715... | 7.6880169... |

### S4SREPRO018 - ABORTION RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 5.8     | 36      | 17.250860... | 7.1929149... |

### S5SREPRO018 - ABORTION RATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4.2     | 31.5    | 14.007573... | 5.8847960... |

### S1SREPRO019 - ABORTION RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 3       | 20.9    | 9.9137589... | 4.5365359... |

### S2SREPRO019 - ABORTION RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 3       | 20.9    | 9.8616171... | 4.5139052... |

### S3SREPRO019 - ABORTION RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 2.7     | 19.4    | 9.4581973... | 4.3275991... |

### S4SREPRO019 - ABORTION RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 3.5     | 25.8    | 9.6622961... | 4.1657164... |

### S5SREPRO019 - ABORTION RATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.6     | 18.8    | 8.2822587... | 3.6957955... |

### S1SREPRO020 - ABORTION RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 0.9     | 7       | 3.3561954... | 1.5910287... |

### S2SREPRO020 - ABORTION RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 0.9     | 7       | 3.3423200... | 1.5843994... |

### S3SREPRO020 - ABORTION RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 0.7     | 6.5     | 3.1960507... | 1.5169848... |

### S4SREPRO020 - ABORTION RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 0.9     | 11.7    | 3.2620476... | 1.5869434... |

### S5SREPRO020 - ABORTION RATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.9     | 7.4     | 2.9810801... | 1.4749020... |

### S1SREPRO021 - BIRTHRATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 95        | 0.46%      |            |
|         | -9990 | geocode missing            | 133       | 0.64%      |            |
|         |       | Total                      | 228       | 1.1%       |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20517 | 228     | 2.3     | 13.4    | 6.2087683... | 2.3073223... |

### S2SREPRO021 - BIRTHRATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 75        | 0.36%      |            |
|         | -9991 | not interviewed            | 6009      | 28.97%     |            |
|         | -9990 | geocode missing            | 81        | 0.39%      |            |
|         |       | Total                      | 6,165     | 29.72%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14580 | 6165    | 2.3     | 13.4    | 6.1759533... | 2.3237535... |

### S3SREPRO021 - BIRTHRATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 112       | 0.54%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,968     | 28.77%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14777 | 5968    | 1.5     | 11.5    | 4.6169723... | 1.9641660... |

### S4SREPRO021 - BIRTHRATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 122       | 0.59%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,171     | 24.93%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15574 | 5171    | 1       | 11.1    | 3.0134904... | 1.1679976... |

### S5SREPRO021 - BIRTHRATE AMONG WOMEN AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 451       | 2.17%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,827     | 47.37%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10918 | 9827    | 0.3     | 4.4     | 1.0415277... | 0.4917968... |

### S1SREPRO022 - BIRTHRATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 15      | 51.3    | 34.452265... | 8.0958159... |

### S2SREPRO022 - BIRTHRATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 6009  | 28.97% |  |
|         | -9990 | geocode missing | 81    | 0.39%  |  |
|         |       | Total           | 6,090 | 29.36% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 15      | 51.3    | 34.321023... | 8.1411899... |

### S3SREPRO022 - BIRTHRATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 10.1    | 48.2    | 27.820847... | 7.4084868... |

### S4SREPRO022 - BIRTHRATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 7.3     | 43.9    | 22.040545... | 6.4789694... |

### S5SREPRO022 - BIRTHRATE AMONG WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.9     | 18      | 8.3190078... | 2.6605019... |

### S1SREPRO023 - BIRTHRATE AMONG WOMEN AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 47.4    | 119.6   | 88.079705... | 17.331683... |

### S2SREPRO023 - BIRTHRATE AMONG WOMEN AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 47.4    | 119.6   | 87.847956... | 17.411598... |

### S3SREPRO023 - BIRTHRATE AMONG WOMEN AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 40.5    | 111     | 80.749284... | 16.655668... |

### S4SREPRO023 - BIRTHRATE AMONG WOMEN AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 30.9    | 105.1   | 71.362608... | 17.413024... |

### S5SREPRO023 - BIRTHRATE AMONG WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 13      | 66.4    | 37.594995... | 11.497512... |

### S1SREPRO024 - BIRTHRATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 28.2    | 74      | 55.405390... | 11.450336... |

### S2SREPRO024 - BIRTHRATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 28.2    | 74      | 55.232801... | 11.510248... |

### S3SREPRO024 - BIRTHRATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 23.3    | 70.1    | 49.248707... | 11.134822... |

#### S4SREPRO024 - BIRTHRATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 19.1    | 64      | 42.025324... | 10.777573... |

#### S5SREPRO024 - BIRTHRATE AMONG WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8       | 34.7    | 19.951587... | 5.9079550... |

#### S1SREPRO025 - BIRTHRATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 28.4    | 76.6    | 56.690393... | 11.855191... |

#### S2SREPRO025 - BIRTHRATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 28.4    | 76.6    | 56.510153... | 11.919812... |

### S3SREPRO025 - BIRTHRATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 23.4    | 72.1    | 50.174947... | 11.463393... |

### S4SREPRO025 - BIRTHRATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 19.1    | 65.1    | 42.591462... | 10.962616... |

### S5SREPRO025 - BIRTHRATE AMONG WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8.1     | 35.2    | 20.164464... | 5.9937275... |

### S1SREPRO026 - BIRTHRATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 59.7    | 142.7   | 110.01988... | 18.142379... |

### S2SREPRO026 - BIRTHRATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 59.7    | 142.7   | 109.83855... | 18.206308... |

### S3SREPRO026 - BIRTHRATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 57.8    | 143.7   | 111.16060... | 17.537942... |

### S4SREPRO026 - BIRTHRATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 51      | 142.6   | 104.28730... | 18.421300... |

### S5SREPRO026 - BIRTHRATE AMONG WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 32.3    | 111     | 74.311452... | 16.944348... |

### S1SREPRO027 - BIRTHRATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 82.9    | 146.6   | 108.74102... | 8.9668301... |

### S2SREPRO027 - BIRTHRATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 82.9    | 146.6   | 108.82558... | 9.0076686... |

### S3SREPRO027 - BIRTHRATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 59.1    | 176.1   | 114.16042... | 8.6519001... |

### S4SREPRO027 - BIRTHRATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 61.4    | 176.3   | 114.96359... | 10.426225... |

### S5SREPRO027 - BIRTHRATE AMONG WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 44.6    | 154.3   | 100.18556... | 13.845877... |

### S1SREPRO028 - BIRTHRATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 56.5    | 103     | 80.561148... | 11.124201... |

### S2SREPRO028 - BIRTHRATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 56.5    | 103     | 80.618082... | 11.138361... |

### S3SREPRO028 - BIRTHRATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 59.2    | 117.2   | 89.202659... | 11.548889... |

### S4SREPRO028 - BIRTHRATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 70.7    | 126.6   | 97.430727... | 11.303864... |

### S5SREPRO028 - BIRTHRATE AMONG WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 72.9    | 126.5   | 99.975767... | 9.2209616... |

### S1SREPRO029 - BIRTHRATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |

|  |  |       |     |       |  |
|--|--|-------|-----|-------|--|
|  |  | Total | 133 | 0.64% |  |
|--|--|-------|-----|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 17.9    | 47      | 34.495395... | 8.3872090... |

### S2SREPRO029 - BIRTHRATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 17.9    | 47      | 34.448584... | 8.3846302... |

### S3SREPRO029 - BIRTHRATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 21.3    | 53.8    | 38.920491... | 8.6153767... |

### S4SREPRO029 - BIRTHRATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 26.9    | 69.3    | 45.559613... | 9.8382120... |

### S5SREPRO029 - BIRTHRATE AMONG WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 30.7    | 72.6    | 51.242079... | 10.068159... |

### S1SREPRO030 - BIRTHRATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 3.1     | 11.5    | 7.1716766... | 2.5704050... |

### S2SREPRO030 - BIRTHRATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 3.1     | 11.5    | 7.1513613... | 2.5638539... |

### S3SREPRO030 - BIRTHRATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 3.9     | 14.8    | 8.2510443... | 2.7131140... |

### S4SREPRO030 - BIRTHRATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 5.2     | 19.4    | 10.280899... | 3.2595847... |

### S5SREPRO030 - BIRTHRATE AMONG WOMEN AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5.2     | 24.5    | 12.124698... | 3.7830819... |

### S1SREPRO031 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 14 OR YOUNGER.

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 285.9   | 5271.2  | 1037.2573... | 644.11215... |

### S2SREPRO031 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 14 OR YOUNGER.

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 285.9   | 5271.2  | 1036.3128... | 650.23658... |

 S3SREPRO031 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 14 OR YOUNGER.

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 81        | 0.39%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,937     | 28.62%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14808 | 5937    | 332     | 4838    | 1157.8180... | 696.82353... |

 S4SREPRO031 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 14 OR YOUNGER.

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 438       | 2.11%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,487     | 26.45%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15258 | 5487    | 315     | 3609.2  | 1236.0394... | 732.43778... |

 S5SREPRO031 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 14 OR YOUNGER.

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 734       | 3.54%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,110    | 48.73%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10635 | 10110   | 272.9   | 4375.8  | 1246.4279... | 807.71453... |

### S1SREPRO032 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 171     | 1421.9  | 619.55877... | 354.72278... |

### S2SREPRO032 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 171     | 1421.9  | 617.08262... | 353.56151... |

### S3SREPRO032 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 166.8   | 1779.5  | 595.68992... | 400.98248... |

### S4SREPRO032 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 134     | 1914    | 556.84956... | 407.33481... |

### S5SREPRO032 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 85.1    | 1944.2  | 537.72550... | 388.88914... |

### S1SREPRO033 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 188.3   | 1404.3  | 558.98956... | 306.52897... |

### S2SREPRO033 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 188.3   | 1404.3  | 556.82283... | 306.33251... |

### S3SREPRO033 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 143.5   | 1380.2  | 520.32614... | 306.95776... |

### S4SREPRO033 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 18-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 119.7   | 1283.8  | 455.21670... | 279.51176... |

### S5SREPRO033 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 97.2    | 1299.2  | 421.46598... | 269.24884... |

### S1SREPRO034 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 196     | 1411.3  | 581.18844... | 322.87766... |

### S2SREPRO034 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 196     | 1411.3  | 578.88431... | 322.30016... |

### S3SREPRO034 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 150.7   | 1511.5  | 544.99015... | 336.64156... |

### S4SREPRO034 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 134.1   | 1465.6  | 485.56662... | 315.53144... |

### S5SREPRO034 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 15-19

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 102.5   | 1465.9  | 442.37253... | 303.60724... |

### S1SREPRO035 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 201.2   | 1423    | 590.37346... | 327.12082... |

### S2SREPRO035 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 201.2   | 1423    | 588.00648... | 326.48584... |

### S3SREPRO035 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 155     | 1535    | 555.24268... | 342.00345... |

### S4SREPRO035 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 139.3   | 1492.6  | 494.73590... | 320.08252... |

### S5SREPRO035 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 103.3   | 1491.4  | 449.24708... | 307.51650... |

### S1SREPRO036 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 119.5   | 1166.5  | 476.55689... | 240.06689... |

### S2SREPRO036 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 119.5   | 1166.5  | 474.90646... | 240.10541... |

### S3SREPRO036 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 79.4    | 1130.9  | 441.14551... | 238.79116... |

### S4SREPRO036 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 20-24

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 81      | 923.8   | 387.61033... | 202.01135... |

### S5SREPRO036 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 80.4    | 963.6   | 346.76284... | 199.73071... |

### S1SREPRO037 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 87.6    | 550.1   | 290.60753... | 119.94934... |

### S2SREPRO037 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 87.6    | 550.1   | 288.94453... | 119.43783... |

### S3SREPRO037 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 51.4    | 868.4   | 275.80735... | 128.38928... |

### S4SREPRO037 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 49.8    | 711     | 244.76951... | 113.59365... |

### S5SREPRO037 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 46      | 590.8   | 222.29774... | 110.71256... |

### S1SREPRO038 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 30-34

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 91.7    | 426.2   | 207.29482... | 71.646632... |

### S2SREPRO038 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 30-34

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 91.7    | 426.2   | 206.02888... | 71.212325... |

### S3SREPRO038 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 30-34

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 54.9    | 450.3   | 193.40319... | 73.342478... |

### S4SREPRO038 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 30-34

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 45.9    | 389.5   | 174.65258... | 63.501519... |

### S5SREPRO038 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 30-34

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 34.1    | 282     | 139.45953... | 53.889758... |

### S1SREPRO039 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 35-39

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 141.1   | 614.2   | 275.37182... | 74.541382... |

### S2SREPRO039 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 35-39

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 141.1   | 614.2   | 274.31552... | 73.983956... |

### S3SREPRO039 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 35-39

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 80.1    | 525.2   | 234.12208... | 70.047094... |

### S4SREPRO039 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 35-39

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 81.4    | 373.2   | 205.95535... | 55.865891... |

### S5SREPRO039 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 52.6    | 280.6   | 157.29411... | 47.585056... |

### S1SREPRO040 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 228.6   | 1011.4  | 453.29998... | 102.97507... |

### S2SREPRO040 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 228.6   | 1011.4  | 452.75731... | 102.31388949 |

### S3SREPRO040 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 40 OR OLDER

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 141.9   | 703.7   | 371.74135... | 84.666087... |

### S4SREPRO040 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 40 OR OLDER

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 153.2   | 604     | 306.89864... | 74.171447... |

### S5SREPRO040 - ABORTIONS PER 1,000 BIRTHS AMONG INDIVIDUALS AGED 40 OR OLDER

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 85.3    | 406.4   | 239.56371... | 65.300628... |

### S1SREPRO094 - PREGNANCY RATE AMONG WOMEN AGED 15 TO 44

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 72.5    | 127.8   | 102.44927... | 15.152099... |

### S2SREPRO094 - PREGNANCY RATE AMONG WOMEN AGED 15 TO 44

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 72.5    | 127.8   | 102.24600... | 15.154623... |

### S3SREPRO094 - PREGNANCY RATE AMONG WOMEN AGED 15 TO 44

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 72.5    | 119.6   | 102.69044... | 11.975811... |

### S4SREPRO094 - PREGNANCY RATE AMONG WOMEN AGED 15 TO 44

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 76      | 121     | 102.70432... | 8.8972561... |

 S5SREPRO094 - PREGNANCY RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 70.2    | 104.3   | 87.686199... | 5.4669448... |

 S1SREPRO095 - BIRTHRATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 50.9    | 74.9    | 64.694920... | 6.2493522... |

 S2SREPRO095 - BIRTHRATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 50.9    | 74.9    | 64.640777... | 6.2589144... |

 S3SREPRO095 - BIRTHRATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 49.8    | 89.6    | 66.321149... | 5.1823270... |

#### S4SREPRO095 - BIRTHRATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 52.5    | 94.8    | 68.377930... | 5.3097684... |

#### S5SREPRO095 - BIRTHRATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 49.5    | 77.7    | 61.048632... | 3.7351677... |

#### S1SREPRO096 - ABORTION RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 8.6     | 38.8    | 22.562657... | 9.1357007... |

#### S2SREPRO096 - ABORTION RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 8.6     | 38.8    | 22.436656... | 9.1089062... |

### S3SREPRO096 - ABORTION RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 6.5     | 40      | 21.018140... | 8.8707028... |

### S4SREPRO096 - ABORTION RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 6.4     | 38.4    | 18.780198... | 7.3329129... |

### S5SREPRO096 - ABORTION RATE AMONG WOMEN AGED 15 TO 44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4.5     | 28.2    | 13.105673... | 5.3641832... |

### S1SREPRO097 - ABORTIONS PER 1,000 BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 131.5   | 621.6   | 345.45384... | 130.97341... |

### S2SREPRO097 - ABORTIONS PER 1,000 BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 131.5   | 621.6   | 343.75128... | 130.41021... |

### S3SREPRO097 - ABORTIONS PER 1,000 BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 73.9    | 750.1   | 317.77986... | 136.90964... |

### S4SREPRO097 - ABORTIONS PER 1,000 BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 69.7    | 643.6   | 278.40451... | 117.82474... |

### S5SREPRO097 - ABORTIONS PER 1,000 BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 59.5    | 464.3   | 217.99649... | 94.218144... |

### S5SREPRO109 - ABORTION RATE (PER 1,000) AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 1.2     | 14.6    | 3.6911312... | 1.8356741... |

### S5SREPRO110 - ABORTION RATE (PER 1,000) AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 3.1     | 19.8    | 7.3899111... | 3.1133327... |

### S5SREPRO111 - ABORTION RATE (PER 1,000) AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 5.2     | 26.1    | 13.073334... | 4.8907324... |

### S5SREPRO120 - ABORTIONS PER 1000 WOMEN AGED 15-44, BY STATE OF OCCURRENCE, 2020

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0.1     | 48.9    | 13.754270... | 7.2096442... |

### S5SREPRO121 - ABORTIONS PER 1000 WOMEN AGED 15-44, BY STATE OF RESIDENCE, 2020

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4.1     | 28.9    | 13.974289... | 5.8923110... |

### S5SREPRO130 - ABORTION RATE PER 1,000 WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2980   | 14.36% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,356 | 59.56% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 1.2     | 14.6    | 3.6911312... | 1.8356741... |

### S5SREPRO131 - ABORTION RATE PER 1,000 WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 3.1     | 19.8    | 7.3899111... | 3.1133327... |

### S5SREPRO132 - ABORTION RATE PER 1,000 WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 5.2     | 26.1    | 13.073334... | 4.8907324... |

### S5SREPRO133 - BIRTH RATE PER 1,000 WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  | Frequency | % of total | % of valid |
|--|-----------|------------|------------|
|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.9     | 16      | 8.0081097... | 2.4904591... |

### S5SREPRO134 - BIRTH RATE PER 1,000 WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8       | 32.8    | 19.492681... | 5.7452523... |

### S5SREPRO135 - BIRTH RATE PER 1,000 WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 13      | 63.3    | 36.875617... | 11.265071... |

### S5SREPRO152 - PREGNANCY RATE PER 1,000 WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |        |  |
|--|--|-------|--------|--------|--|
|  |  | Total | 12,356 | 59.56% |  |
|--|--|-------|--------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 6.6     | 35.3    | 13.611288... | 2.8891039... |

### S5SREPRO153 - PREGNANCY RATE PER 1,000 WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15.9    | 47.3    | 31.519227... | 5.5565370... |

### S5SREPRO154 - PREGNANCY RATE PER 1,000 WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 27.1    | 84      | 56.746763... | 10.795345... |

### S5SREPRO230 - BIRTHS THAT WERE PUBLICLY FUNDED, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 28.5    | 70.5    | 51.350778... | 8.3614546... |

 S5SREPRO231 - PLANNED BIRTHS THAT WERE PUBLICLY FUNDED , 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 18.7    | 55.9    | 38.855273... | 8.0337769... |

 S5SREPRO236 - UNPLANNED BIRTHS THAT WERE PUBLICLY FUNDED, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 36.8    | 84.6    | 68.225578... | 7.8105519... |

 S5SREPRO237 - ABORTION RATE (PER 1,000 WOMEN AGED 15-17), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 1.2     | 14.6    | 3.6911312... | 1.8356741... |

 S5SREPRO238 - ABORTION RATE (PER 1,000 WOMEN AGED 15-19), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 3.1     | 19.8    | 7.3899111... | 3.1133327... |

### S5SREPRO239 - ABORTION RATE (PER 1,000 WOMEN AGED 18-19), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 5.2     | 26.1    | 13.073334... | 4.8907324... |

### S5SREPRO240 - BIRTHRATE (PER 1,000 WOMEN AGED 15-17), BY STATE OF RESIDENCE , 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2.9     | 16      | 8.0081097... | 2.4904591... |

### S5SREPRO241 - BIRTHRATE (PER 1,000 WOMEN AGED 15-19), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8       | 32.8    | 19.492681... | 5.7452523... |

### S5SREPRO242 - BIRTHRATE (PER 1,000 WOMEN AGED 18-19), BY STATE OF RESIDENCE , 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 13      | 63.3    | 36.875617... | 11.265071... |

### S5SREPRO243 - FEDERAL COSTS FOR INTENDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 12.5    | 1570    | 579.54780... | 533.50959... |

### S5SREPRO244 - FEDERAL COSTS FOR PUBLICLY FUNDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 29      | 3627    | 1234.4971... | 1015.7724... |

### S5SREPRO245 - FEDERAL COSTS FOR UNINTENDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 16.5    | 2057    | 654.90686... | 512.02157... |

### S5SREPRO268 - PREGNANCY RATE (PER 1,000 WOMEN AGED 15-17), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 6.6     | 35.3    | 13.611288... | 2.8891039... |

### S5SREPRO269 - PREGNANCY RATE (PER 1,000 WOMEN AGED 15-19), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15.9    | 47.3    | 31.519227... | 5.5565370... |

### S5SREPRO270 - PREGNANCY RATE (PER 1,000 WOMEN AGED 18-19), BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 27.1    | 84      | 56.746763... | 10.795345... |

### S5SREPRO272 - STATE-LEVEL COSTS FOR INTENDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7.6     | 926.9   | 293.82501... | 315.94024... |

### S5SREPRO273 - STATE-LEVEL COSTS FOR PUBLICLY FUNDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15.3    | 1616    | 607.54875... | 570.00282... |

### S5SREPRO274 - STATE-LEVEL COSTS FOR UNINTENDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7.7     | 842.6   | 313.76509... | 264.58295... |

### S5SREPRO275 - TOTAL COSTS FOR PUBLICLY FUNDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 47.1    | 5113    | 1841.9862... | 1564.9577... |

### S5SREPRO277 - TOTAL PUBLIC COSTS FOR INTENDED PREGNANCIES (IN MILLIONS OF DOLLARS), 2010

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 20.3    | 2411    | 873.75687... | 842.73143... |

### S5SREPRO278 - TOTAL PUBLIC COSTS FOR UNINTENDED PREGNANCIES (IN MILLIONS OF DOLLARS) , 2010

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 25.5    | 2899    | 968.60016... | 763.45289... |

### R5SREPRO284 - GESTATIONAL LIMIT AT NEAREST ABORTION FACILITY OFFERING MAB

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data                | 26        | 0.13%      |            |
|         | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,472     | 45.66%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11273 | 9472    | 6       | 10.6    | 9.1017386... | 1.0544603... |

### R5SREPRO286 - GESTATIONAL LIMIT AT NEAREST ABORTION FACILITY OFFERING TAB

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data                | 53        | 0.26%      |            |
|         | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,499     | 45.79%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11246 | 9499    | 6       | 28      | 17.747937... | 4.0822441... |

### S1SPUBBEN001 - STATE OFFERS EITC

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 4856      | 23.41%     | 23.56%     |
|         | 1     | yes             | 15756     | 75.95%     | 76.44%     |
|         |       | Total           | 20,612    | 99.36%     | 100%       |
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 20612 | 133     | 0       | 1       |

### S2SPUBBEN001 - STATE OFFERS EITC

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 3382      | 16.3%      | 23.08%     |
|         | 1     | yes             | 11273     | 54.34%     | 76.92%     |
|         |       | Total           | 14,655    | 70.64%     | 100%       |
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 14655 | 6090    | 0       | 1       |

### S3SPUBBEN001 - STATE OFFERS EITC

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 11838     | 57.06%     | 79.51%     |
|         | 1     | yes             | 3051      | 14.71%     | 20.49%     |
|         |       | Total           | 14,889    | 71.77%     | 100%       |
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 14889 | 5856    | 0       | 1       |

### S4SPUBBEN001 - STATE OFFERS EITC

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 10451     | 50.38%     | 66.58%     |
|         | 1     | yes             | 5245      | 25.28%     | 33.42%     |
|         |       | Total           | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 0       | 1       |

### S5SPUBBEN001 - STATE OFFERS EITC

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 4748      | 22.89%     | 41.76%     |
|         | 1     | yes             | 6621      | 31.92%     | 58.24%     |
|         |       | Total           | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 0       | 1       |

### S1SPUBBEN002 - EITC IS REFUNDABLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency |
|---------|-------|----------------------------|-----------|
| Valid   | 0     | no                         | 0         |
|         | 1     | yes                        | 0         |
| Missing | -9992 | missing in the source data | 20612     |
|         | -9990 | geocode missing            | 133       |

| Valid | Invalid |
|-------|---------|
|-------|---------|

|   |       |
|---|-------|
| 0 | 20745 |
|---|-------|

### S2SPUBBEN002 - EITC IS REFUNDABLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency |
|---------|-------|----------------------------|-----------|
| Valid   | 0     | no                         | 0         |
|         | 1     | yes                        | 0         |
| Missing | -9992 | missing in the source data | 14655     |
|         | -9991 | not interviewed            | 6009      |
|         | -9990 | geocode missing            | 81        |

| Valid | Invalid |
|-------|---------|
| 0     | 20745   |

### S3SPUBBEN002 - EITC IS REFUNDABLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 0     | no                         | 695       | 3.35%      | 22.78%     |
|         | 1     | yes                        | 2356      | 11.36%     | 77.22%     |
|         |       | Total                      | 3,051     | 14.71%     | 100%       |
| Missing | -9992 | missing in the source data | 11838     | 57.06%     |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 17,694    | 85.29%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 3051  | 17694   | 0       | 1       |

### S4SPUBBEN002 - EITC IS REFUNDABLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 0     | no                         | 150       | 0.72%      | 2.86%      |
|         | 1     | yes                        | 5095      | 24.56%     | 97.14%     |
|         |       | Total                      | 5,245     | 25.28%     | 100%       |
| Missing | -9992 | missing in the source data | 10451     | 50.38%     |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 15,500    | 74.72%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 5245  | 15500   | 0       | 1       |

### S5SPUBBEN002 - EITC IS REFUNDABLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 0     | no                         | 1340      | 6.46%      | 20.24%     |
|         | 1     | yes                        | 5281      | 25.46%     | 79.76%     |
|         |       | Total                      | 6,621     | 31.92%     | 100%       |
| Missing | -9992 | missing in the source data | 4748      | 22.89%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 14,124    | 68.08%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 6621  | 14124   | 0       | 1       |

### S1SPUBBEN004 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (CURRENT USD)

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 361       | 1.74%      |            |
|         | -9990 | geocode missing            | 133       | 0.64%      |            |
|         |       | Total                      | 494       | 2.38%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20251 | 494     | 206     | 354     | 213.92652... | 16.435665... |

### S2SPUBBEN004 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (CURRENT USD)

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 266       | 1.28%      |            |
|         | -9991 | not interviewed            | 6009      | 28.97%     |            |
|         | -9990 | geocode missing            | 81        | 0.39%      |            |
|         |       | Total                      | 6,356     | 30.64%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14389 | 6356    | 218     | 364     | 220.01918... | 17.051204... |

### S3SPUBBEN004 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (CURRENT USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 283       | 1.36%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 6,139     | 29.59%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14606 | 6139    | 238     | 374     | 242.44837... | 15.187998... |

### S4SPUBBEN004 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (CURRENT USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 286       | 1.38%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,335     | 25.72%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15410 | 5335    | 284     | 575     | 299.85457... | 17.953815... |

### S5SPUBBEN004 - MAXIMUM MONTHLY ALLOTMENT OF SNAP FOR A 2-PERSON FAMILY (CURRENT USD)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 323       | 1.56%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,699     | 46.75%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11046 | 9699    | 352     | 657     | 359.06491... | 28.520132... |

### S3SPUBBEN006 - ADMINISTERED VIA MEDICAID OR SEPARATE CHIP PROGRAM

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 1     | both                       | 10033     | 48.36%     | 67.86%     |
|         | 2     | Medicaid only              | 4751      | 22.9%      | 32.14%     |
|         |       | Total                      | 14,784    | 71.27%     | 100%       |
| Missing | -9992 | missing in the source data | 105       | 0.51%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,961     | 28.73%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 14784 | 5961    | 1       | 2       |

### S4SPUBBEN006 - ADMINISTERED VIA MEDICAID OR SEPARATE CHIP PROGRAM

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 1     | both            | 11136     | 53.68%     | 70.95%     |
|         | 2     | Medicaid only   | 4560      | 21.98%     | 29.05%     |
|         |       | Total           | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 1       | 2       |

### S5SPUBBEN006 - ADMINISTERED VIA MEDICAID OR SEPARATE CHIP PROGRAM

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 1     | both            | 7380      | 35.57%     | 64.91%     |
|         | 2     | Medicaid only   | 3989      | 19.23%     | 35.09%     |
|         |       | Total           | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 1       | 2       |

### S3SPUBBEN008 - 12-MONTH CONTINUOUS ELIGIBILITY

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 0     | no                         | 4134      | 19.93%     | 27.96%     |
|         | 1     | yes (both)                 | 2826      | 13.62%     | 19.12%     |
|         | 2     | yes (Medicaid)             | 3021      | 14.56%     | 20.43%     |
|         | 3     | yes (state CHIP)           | 4803      | 23.15%     | 32.49%     |
|         |       | Total                      | 14,784    | 71.27%     | 100%       |
| Missing | -9992 | missing in the source data | 105       | 0.51%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,961     | 28.73%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 14784 | 5961    | 0       | 3       |

### S4SPUBBEN008 - 12-MONTH CONTINUOUS ELIGIBILITY

| Type | Code |
|------|------|
|------|------|

|         |       |                  | Frequency | % of total | % of valid |
|---------|-------|------------------|-----------|------------|------------|
| Valid   | 0     | no               | 4550      | 21.93%     | 28.99%     |
|         | 1     | yes (both)       | 6254      | 30.15%     | 39.84%     |
|         | 2     | yes (Medicaid)   | 544       | 2.62%      | 3.47%      |
|         | 3     | yes (state CHIP) | 4348      | 20.96%     | 27.7%      |
|         |       | Total            | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed  | 5044      | 24.31%     |            |
|         | -9990 | geocode missing  | 5         | 0.02%      |            |
|         |       | Total            | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 0       | 3       |

### S5SPUBBEN008 - 12-MONTH CONTINUOUS ELIGIBILITY

| Type | Code |
|------|------|
|------|------|

|         |       |                  | Frequency | % of total | % of valid |
|---------|-------|------------------|-----------|------------|------------|
| Valid   | 0     | no               | 2558      | 12.33%     | 22.5%      |
|         | 1     | yes (both)       | 3335      | 16.08%     | 29.33%     |
|         | 2     | yes (Medicaid)   | 3189      | 15.37%     | 28.05%     |
|         | 3     | yes (state CHIP) | 2287      | 11.02%     | 20.12%     |
|         |       | Total            | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed  | 8445      | 40.71%     |            |
|         | -9990 | geocode missing  | 931       | 4.49%      |            |
|         |       | Total            | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 0       | 3       |

### S3SPUBBEN009 - IMMIGRANT CHILD ELIGIBLE

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency |
|---------|-------|----------------------------|-----------|
| Valid   | 0     | no                         | 0         |
|         | 1     | yes (both)                 | 0         |
|         | 2     | yes (Medicaid)             | 0         |
| Missing | -9992 | missing in the source data | 14889     |
|         | -9991 | not interviewed            | 5575      |
|         | -9990 | geocode missing            | 281       |

| Valid | Invalid |
|-------|---------|
| 0     | 20745   |

### S4SPUBBEN009 - IMMIGRANT CHILD ELIGIBLE

| Type | Code |
|------|------|
|------|------|

|       |   |                | Frequency |
|-------|---|----------------|-----------|
| Valid | 0 | no             | 0         |
|       | 1 | yes (both)     | 0         |
|       | 2 | yes (Medicaid) | 0         |

|         |       |                            |       |
|---------|-------|----------------------------|-------|
| Missing | -9992 | missing in the source data | 15696 |
|         | -9991 | not interviewed            | 5044  |
|         | -9990 | geocode missing            | 5     |

|       |         |
|-------|---------|
| Valid | Invalid |
| 0     | 20745   |

### S5SPUBBEN009 - IMMIGRANT CHILD ELIGIBLE

|      |      |
|------|------|
| Type | Code |
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 2992      | 14.42%     | 26.32%     |
|         | 1     | yes (both)      | 5025      | 24.22%     | 44.2%      |
|         | 2     | yes (Medicaid)  | 3352      | 16.16%     | 29.48%     |
|         |       | Total           | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 11369 | 9376    | 0       | 2       |

### S3SPUBBEN010 - PRESUMPTIVE ELIGIBILITY

|      |      |
|------|------|
| Type | Code |
|------|------|

|         |       |                  | Frequency | % of total | % of valid |
|---------|-------|------------------|-----------|------------|------------|
| Valid   | 0     | no               | 11706     | 56.43%     | 78.62%     |
|         | 1     | yes (both)       | 1446      | 6.97%      | 9.71%      |
|         | 2     | yes (Medicaid)   | 1237      | 5.96%      | 8.31%      |
|         | 3     | yes (state CHIP) | 500       | 2.41%      | 3.36%      |
|         |       | Total            | 14,889    | 71.77%     | 100%       |
| Missing | -9991 | not interviewed  | 5575      | 26.87%     |            |
|         | -9990 | geocode missing  | 281       | 1.35%      |            |
|         |       | Total            | 5,856     | 28.23%     |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 14889 | 5856    | 0       | 3       |

### S4SPUBBEN010 - PRESUMPTIVE ELIGIBILITY

|      |      |
|------|------|
| Type | Code |
|------|------|

|         |       |                  | Frequency | % of total | % of valid |
|---------|-------|------------------|-----------|------------|------------|
| Valid   | 0     | no               | 9015      | 43.46%     | 57.44%     |
|         | 1     | yes (both)       | 5770      | 27.81%     | 36.76%     |
|         | 2     | yes (Medicaid)   | 911       | 4.39%      | 5.8%       |
|         | 3     | yes (state CHIP) | 0         | 0%         | 0%         |
|         |       | Total            | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed  | 5044      | 24.31%     |            |
|         | -9990 | geocode missing  | 5         | 0.02%      |            |
|         |       | Total            | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 0       | 2       |

### S5SPUBBEN010 - PRESUMPTIVE ELIGIBILITY

| Type | Code |
|------|------|
|------|------|

|         |       |                  | Frequency | % of total | % of valid |
|---------|-------|------------------|-----------|------------|------------|
| Valid   | 0     | no               | 6168      | 29.73%     | 54.25%     |
|         | 1     | yes (both)       | 2010      | 9.69%      | 17.68%     |
|         | 2     | yes (Medicaid)   | 2936      | 14.15%     | 25.82%     |
|         | 3     | yes (state CHIP) | 255       | 1.23%      | 2.24%      |
|         |       | Total            | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed  | 8445      | 40.71%     |            |
|         | -9990 | geocode missing  | 931       | 4.49%      |            |
|         |       | Total            | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 0       | 3       |

### S3SPUBBEN011 - STATE CHARGE (PREMIUMS OR ENROLLMENT)

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency |
|---------|-------|----------------------------|-----------|
| Valid   | 0     | no                         | 0         |
|         | 1     | yes                        | 0         |
| Missing | -9992 | missing in the source data | 14889     |
|         | -9991 | not interviewed            | 5575      |
|         | -9990 | geocode missing            | 281       |

| Valid | Invalid |
|-------|---------|
| 0     | 20745   |

### S4SPUBBEN011 - STATE CHARGE (PREMIUMS OR ENROLLMENT)

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 3708      | 17.87%     | 23.62%     |
|         | 1     | yes             | 11988     | 57.79%     | 76.38%     |
|         |       | Total           | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 0       | 1       |

### S5SPUBBEN011 - STATE CHARGE (PREMIUMS OR ENROLLMENT)

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 3112      | 15%        | 27.37%     |
|         | 1     | yes             | 8257      | 39.8%      | 72.63%     |
|         |       | Total           | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 0       | 1       |

### S3SPUBBEN012 - WAITING PERIOD

| Type | Code |
|------|------|
|------|------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Valid   | 0     | no                         | 1436      | 6.92%      | 35.38%     |
|         | 1     | yes                        | 2623      | 12.64%     | 64.62%     |
|         |       | Total                      | 4,059     | 19.57%     | 100%       |
| Missing | -9992 | missing in the source data | 10830     | 52.21%     |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 16,686    | 80.43%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 4059  | 16686   | 0       | 1       |

### S4SPUBBEN012 - WAITING PERIOD

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 3458      | 16.67%     | 22.03%     |
|         | 1     | yes             | 12238     | 58.99%     | 77.97%     |
|         |       | Total           | 15,696    | 75.66%     | 100%       |
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 15696 | 5049    | 0       | 1       |

### S5SPUBBEN012 - WAITING PERIOD

| Type | Code |
|------|------|
|------|------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Valid   | 0     | no              | 7953      | 38.34%     | 69.95%     |
|         | 1     | yes             | 3416      | 16.47%     | 30.05%     |
|         |       | Total           | 11,369    | 54.8%      | 100%       |
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 11369 | 9376    | 0       | 1       |

### S1SREPRO041 - PREGNANCIES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

| Type | Numeric (Double) |
|------|------------------|
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |     |    |      |              |              |
|-------|-----|----|------|--------------|--------------|
| 20612 | 133 | 10 | 3530 | 1321.0401... | 1156.0704... |
|-------|-----|----|------|--------------|--------------|

### S2SREPRO041 - PREGNANCIES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 10      | 3530    | 1308.7656... | 1153.2275... |

### S3SREPRO041 - PREGNANCIES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 56        | 0.27%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,912     | 28.5%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14833 | 5912    | 10      | 2800    | 1067.0929... | 934.76169... |

### S4SREPRO041 - PREGNANCIES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 58        | 0.28%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,107     | 24.62%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15638 | 5107    | 10      | 1940    | 728.26959... | 645.74124... |

### S5SREPRO041 - PREGNANCIES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 95        | 0.46%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,471     | 45.65%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11274 | 9471    | 10      | 610     | 218.22157... | 185.70166... |

### S1SREPRO042 - PREGNANCIES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 430     | 51290   | 18423.621... | 16885.713... |

### S2SREPRO042 - PREGNANCIES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 430     | 51290   | 18285.859... | 16838.098... |

### S3SREPRO042 - PREGNANCIES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 5575             | 26.87%       |              |
|         | -9990   | geocode missing | 281              | 1.35%        |              |
|         |         | Total           | 5,856            | 28.23%       |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 14889   | 5856    | 300             | 39710            | 14976.145... | 13390.845... |

### S4SREPRO042 - PREGNANCIES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 5044             | 24.31%       |              |
|         | -9990   | geocode missing | 5                | 0.02%        |              |
|         |         | Total           | 5,049            | 24.34%       |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 15696   | 5049    | 210             | 33500            | 12294.315... | 11226.439... |

### S5SREPRO042 - PREGNANCIES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

| Type    |         |                            | Numeric (Double) |              |              |
|---------|---------|----------------------------|------------------|--------------|--------------|
|         |         |                            | Frequency        | % of total   | % of valid   |
| Missing | -9992   | missing in the source data | 2044             | 9.85%        |              |
|         | -9991   | not interviewed            | 8445             | 40.71%       |              |
|         | -9990   | geocode missing            | 931              | 4.49%        |              |
|         |         | Total                      | 11,420           | 55.05%       |              |
| Valid   | Invalid | Minimum                    | Maximum          | Mean         | StdDev       |
| 9325    | 11420   | 80                         | 12290            | 4531.0691... | 3806.0166... |

### S1SREPRO043 - PREGNANCIES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 810     | 77750   | 28669.376... | 25352.539... |

### S2SREPRO043 - PREGNANCIES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 810     | 77750   | 28471.089... | 25276.431... |

### S3SREPRO043 - PREGNANCIES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 670     | 74100   | 28023.376... | 24638.586... |

### S4SREPRO043 - PREGNANCIES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 680     | 66200   | 24817.129... | 21632.179... |

### S5SREPRO043 - PREGNANCIES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 280     | 28980   | 12065.138... | 9617.8108... |

### S1SREPRO044 - PREGNANCIES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1240    | 129040  | 47095.114... | 42231.572... |

### S2SREPRO044 - PREGNANCIES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1240    | 129040  | 46759.078... | 42107.668... |

### S3SREPRO044 - PREGNANCIES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 970     | 113810  | 43000.249... | 38015.872... |

### S4SREPRO044 - PREGNANCIES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 890     | 99700   | 37111.568... | 32847.900... |

### S5SREPRO044 - PREGNANCIES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 41270   | 15044.483... | 12864.813... |

### S1SREPRO045 - PREGNANCIES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1250    | 132570  | 48415.495... | 43379.342... |

### S2SREPRO045 - PREGNANCIES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1250    | 132570  | 48067.142... | 43252.725... |

### S3SREPRO045 - PREGNANCIES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 980     | 116610  | 44063.373... | 38944.915... |

### S4SREPRO045 - PREGNANCIES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 900     | 101640  | 37837.246... | 33490.796... |

### S5SREPRO045 - PREGNANCIES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 41880   | 15261.755... | 13048.926... |

### S1SREPRO046 - PREGNANCIES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 2460    | 232130  | 85004.550... | 75988.241... |

### S2SREPRO046 - PREGNANCIES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 2460    | 232130  | 84422.577... | 75748.354... |

### S3SREPRO046 - PREGNANCIES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 2190    | 232220  | 87354.880... | 76902.939... |

### S4SREPRO046 - PREGNANCIES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 2460    | 223140  | 82706.795... | 71812.811... |

### S5SREPRO046 - PREGNANCIES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1420    | 146300  | 54955.941... | 45263.237... |

### S1SREPRO047 - PREGNANCIES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 2820    | 235190  | 85728.620... | 76818.762... |

### S2SREPRO047 - PREGNANCIES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 2820    | 235190  | 85179.911... | 76521.116... |

### S3SREPRO047 - PREGNANCIES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 2430    | 227030  | 84220.546... | 74830.845... |

### S4SREPRO047 - PREGNANCIES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 2550    | 233390  | 84663.997... | 73940.938... |

### S5SREPRO047 - PREGNANCIES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2320    | 199860  | 73853.946... | 61478.874... |

### S1SREPRO048 - PREGNANCIES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 2370    | 187640  | 67791.471... | 61794.934... |

### S2SREPRO048 - PREGNANCIES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 2370    | 187640  | 67340.834... | 61521.481... |

### S3SREPRO048 - PREGNANCIES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 1450    | 189980  | 68477.929... | 62941.089... |

### S4SREPRO048 - PREGNANCIES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 1840    | 192670  | 66256.248... | 61136.582... |

### S5SREPRO048 - PREGNANCIES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2240    | 204000  | 69620.311... | 62320.566... |

### S1SREPRO049 - PREGNANCIES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1210    | 97620   | 33164.478... | 32527.180... |

### S2SREPRO049 - PREGNANCIES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1210    | 97620   | 32916.029... | 32383.187... |

### S3SREPRO049 - PREGNANCIES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 850     | 104380  | 35661.628... | 35016.512... |

### S4SREPRO049 - PREGNANCIES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 810     | 112890  | 36313.544... | 36115.309... |

### S5SREPRO049 - PREGNANCIES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 970     | 117930  | 37542.215... | 37087.469... |

### S1SREPRO050 - PREGNANCIES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 260     | 23820   | 7504.0054... | 8047.6519... |

### S2SREPRO050 - PREGNANCIES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 260     | 23820   | 7441.6042... | 8011.9624... |

### S3SREPRO050 - PREGNANCIES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 220     | 27370   | 8741.1283... | 9324.4531... |

### S4SREPRO050 - PREGNANCIES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 190     | 31540   | 9514.9706... | 10243.260... |

### S5SREPRO050 - PREGNANCIES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 170     | 31840   | 9470.5013... | 10163.661... |

### S1SREPRO051 - ABORTIONS TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 10      | 1580    | 562.06433... | 548.68102... |

### S2SREPRO051 - ABORTIONS TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 10      | 1580    | 555.40156... | 546.34334... |

### S3SREPRO051 - ABORTIONS TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 81        | 0.39%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,937     | 28.62%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14808 | 5937    | 10      | 1570    | 514.01539... | 542.28795... |

### S4SREPRO051 - ABORTIONS TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 438       | 2.11%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 5,487     | 26.45%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15258 | 5487    | 10      | 1080    | 360.36570... | 354.73910... |

### S5SREPRO051 - ABORTIONS TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 734       | 3.54%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,110    | 48.73%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10635 | 10110   | 10      | 340     | 106.66572... | 99.760464... |

### S1SREPRO052 - ABORTIONS TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 190     | 20350   | 6404.6904... | 6967.3697... |

### S2SREPRO052 - ABORTIONS TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 190     | 20350   | 6340.0388... | 6939.4008... |

### S3SREPRO052 - ABORTIONS TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean    | StdDev       |
|-------|---------|---------|---------|---------|--------------|
| 14889 | 5856    | 60      | 15470   | 5.01E+3 | 5441.2285... |

### S4SREPRO052 - ABORTIONS TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 50      | 11890   | 3776.7991... | 4014.9491... |

### S5SREPRO052 - ABORTIONS TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 20      | 3970    | 1301.2085... | 1283.9771... |

### S1SREPRO053 - ABORTIONS TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 280     | 27990   | 9314.1475... | 9523.7732... |

### S2SREPRO053 - ABORTIONS TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 280     | 27990   | 9224.0962... | 9484.7641... |

### S3SREPRO053 - ABORTIONS TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 130     | 27490   | 8855.4167... | 9440.2606... |

### S4SREPRO053 - ABORTIONS TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 100     | 22320   | 7017.4745... | 7370.4319... |

### S5SREPRO053 - ABORTIONS TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 50      | 9070    | 3051.0788... | 2937.7205... |

### S1SREPRO054 - ABORTIONS TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 470     | 48340   | 15719.313... | 16482.482... |

### S2SREPRO054 - ABORTIONS TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 470     | 48340   | 15564.586... | 16415.531... |

### S3SREPRO054 - ABORTIONS TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 200     | 42960   | 13866.742... | 14861.328... |

### S4SREPRO054 - ABORTIONS TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 160     | 34200   | 10793.044... | 11369.834... |

### S5SREPRO054 - ABORTIONS TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 70      | 13040   | 3941.6457... | 4015.5552... |

### S1SREPRO055 - ABORTIONS TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 480     | 49920   | 16281.792... | 17021.202... |

### S2SREPRO055 - ABORTIONS TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 480     | 49920   | 16120.384... | 16952.125... |

### S3SREPRO055 - ABORTIONS TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 210     | 44530   | 14378.905... | 15399.810... |

### S4SREPRO055 - ABORTIONS TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 160     | 35280   | 11142.471... | 11723.379... |

### S5SREPRO055 - ABORTIONS TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 70      | 13380   | 4041.0959... | 4115.2027... |

### S1SREPRO056 - ABORTIONS TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 650     | 71740   | 24810.299... | 24423.729... |

### S2SREPRO056 - ABORTIONS TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 650     | 71740   | 24580.990... | 24319.886... |

### S3SREPRO056 - ABORTIONS TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 310     | 77160   | 25336.870... | 26595.713... |

### S4SREPRO056 - ABORTIONS TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 340     | 69390   | 21643.937... | 22791.919... |

### S5SREPRO056 - ABORTIONS TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 210     | 41730   | 12743.424... | 12765.593... |

### S1SREPRO057 - ABORTIONS TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 370     | 54510   | 18549.593... | 18949.666... |

### S2SREPRO057 - ABORTIONS TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 370     | 54510   | 18367.091... | 18860.739... |

### S3SREPRO057 - ABORTIONS TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 190     | 53870   | 17781.700... | 18738.107... |

### S4SREPRO057 - ABORTIONS TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 210     | 51630   | 16103.318... | 17103.152... |

### S5SREPRO057 - ABORTIONS TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 190     | 39820   | 12556.826... | 12639.562... |

### S1SREPRO058 - ABORTIONS TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 260     | 33960   | 11331.601... | 11969.681... |

### S2SREPRO058 - ABORTIONS TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 260     | 33960   | 11212.755... | 11909.958... |

### S3SREPRO058 - ABORTIONS TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 110     | 33470   | 11002.399... | 11846.344... |

### S4SREPRO058 - ABORTIONS TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 110     | 30420   | 9493.7773... | 10196.230... |

### S5SREPRO058 - ABORTIONS TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 120     | 25100   | 7958.8002... | 8091.8754... |

### S1SREPRO059 - ABORTIONS TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 210     | 21170   | 6791.3259... | 7341.5183... |

### S2SREPRO059 - ABORTIONS TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 210     | 21170   | 6725.5373... | 7306.3842... |

### S3SREPRO059 - ABORTIONS TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 80      | 19880   | 6465.9191... | 7036.5862... |

### S4SREPRO059 - ABORTIONS TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 70      | 18650   | 5784.3533... | 6242.8364... |

### S5SREPRO059 - ABORTIONS TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 70      | 14370   | 4574.3398... | 4681.4215... |

### S1SREPRO060 - ABORTIONS TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 60      | 6570    | 2102.2156... | 2266.5134... |

### S2SREPRO060 - ABORTIONS TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 70      | 6570    | 2083.5380... | 2255.6288... |

 S3SREPRO060 - ABORTIONS TO INDIVIDUALS AGED 40 OR OLDER

(ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 30      | 6760    | 2174.4415... | 2381.1942... |

 S4SREPRO060 - ABORTIONS TO INDIVIDUALS AGED 40 OR OLDER

(ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 30      | 6570    | 2015.4039... | 2232.2001... |

 S5SREPRO060 - ABORTIONS TO INDIVIDUALS AGED 40 OR OLDER

(ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 20      | 4920    | 1559.9771... | 1614.0751... |

 S1SREPRO061 - BIRTHS TO INDIVIDUALS AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 95        | 0.46%      |            |
|         | -9990 | geocode missing            | 133       | 0.64%      |            |
|         |       | Total                      | 228       | 1.1%       |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20517 | 228     | 18      | 1490    | 587.32363... | 510.34449... |

### S2SREPRO061 - BIRTHS TO INDIVIDUALS AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 75        | 0.36%      |            |
|         | -9991 | not interviewed            | 6009      | 28.97%     |            |
|         | -9990 | geocode missing            | 81        | 0.39%      |            |
|         |       | Total                      | 6,165     | 29.72%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14580 | 6165    | 18      | 1490    | 583.48319... | 509.51278... |

### S3SREPRO061 - BIRTHS TO INDIVIDUALS AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 112       | 0.54%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 5,968     | 28.77%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14777 | 5968    | 14      | 1122    | 420.05379... | 340.44636... |

### S4SREPRO061 - BIRTHS TO INDIVIDUALS AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 122       | 0.59%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 5,171 | 24.93% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15574 | 5171    | 12      | 887     | 285.76056... | 250.60295... |

### S5SREPRO061 - BIRTHS TO INDIVIDUALS AGED 14 OR YOUNGER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 451       | 2.17%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,827     | 47.37%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10918 | 9827    | 10      | 404     | 92.760578... | 85.615340... |

### S1SREPRO062 - BIRTHS TO INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 187     | 24088   | 9482.0507... | 8143.3135... |

### S2SREPRO062 - BIRTHS TO INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 187     | 24088   | 9426.5168... | 8126.2224... |

### S3SREPRO062 - BIRTHS TO INDIVIDUALS AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 138     | 19640   | 7887.4440... | 6771.1891... |

#### S4SREPRO062 - BIRTHS TO INDIVIDUALS AGED 15-17

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 93      | 18988   | 6783.4421... | 6253.4115... |

#### S5SREPRO062 - BIRTHS TO INDIVIDUALS AGED 15-17

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 37      | 8936    | 2321.3335... | 2207.5698... |

#### S1SREPRO063 - BIRTHS TO INDIVIDUALS AGED 18-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 414     | 39134   | 15354.254... | 12874.733... |

#### S2SREPRO063 - BIRTHS TO INDIVIDUALS AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 414     | 39134   | 15271.600... | 12843.748... |

### S3SREPRO063 - BIRTHS TO INDIVIDUALS AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 383     | 36549   | 15235.254... | 12557.210... |

### S4SREPRO063 - BIRTHS TO INDIVIDUALS AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 379     | 35339   | 14249.434... | 11991.190... |

### S5SREPRO063 - BIRTHS TO INDIVIDUALS AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 163     | 20829   | 6602.6942... | 5609.0232... |

 S1SREPRO064 - BIRTHS TO INDIVIDUALS AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 601     | 63222   | 24836.305... | 21005.835... |

 S2SREPRO064 - BIRTHS TO INDIVIDUALS AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 601     | 63222   | 24698.117... | 20957.676... |

 S3SREPRO064 - BIRTHS TO INDIVIDUALS AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 521     | 55463   | 23122.698... | 19317.326... |

 S4SREPRO064 - BIRTHS TO INDIVIDUALS AGED 15-19

Type Numeric (Double)

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 472     | 54284   | 21032.876... | 18229.563... |

### S5SREPRO064 - BIRTHS TO INDIVIDUALS AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 206     | 29765   | 8924.0277... | 7802.6568... |

### S1SREPRO065 - BIRTHS TO INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 603     | 64712   | 25420.932... | 21513.580... |

### S2SREPRO065 - BIRTHS TO INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 603     | 64712   | 25278.624... | 21464.589... |

### S3SREPRO065 - BIRTHS TO INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 5,856 | 28.23% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 523     | 56359   | 23539.617... | 19651.709... |

### S4SREPRO065 - BIRTHS TO INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 478     | 55168   | 21316.460... | 18476.042... |

### S5SREPRO065 - BIRTHS TO INDIVIDUALS AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 207     | 30169   | 9013.3601... | 7885.2600... |

### S1SREPRO066 - BIRTHS TO INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1459    | 127676  | 48093.613... | 41898.044... |

### S2SREPRO066 - BIRTHS TO INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 6009  | 28.97% |  |
|         | -9990 | geocode missing | 81    | 0.39%  |  |
|         |       | Total           | 6,090 | 29.36% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1459    | 127676  | 47818.796... | 41782.249... |

### S3SREPRO066 - BIRTHS TO INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 1367    | 122783  | 49569.121... | 40910.412... |

### S4SREPRO066 - BIRTHS TO INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 1472    | 122339  | 49081.341... | 40404.182... |

### S5SREPRO066 - BIRTHS TO INDIVIDUALS AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 896     | 92959   | 34114.579... | 27496.515... |

### S1SREPRO067 - BIRTHS TO INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 2014    | 146026  | 54436.254... | 47125.284... |

### S2SREPRO067 - BIRTHS TO INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 2014    | 146026  | 54146.251... | 46952.492... |

### S3SREPRO067 - BIRTHS TO INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 1625    | 139812  | 53884.210... | 45791.764... |

### S4SREPRO067 - BIRTHS TO INDIVIDUALS AGED 25-29

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 1809    | 147157  | 55791.421... | 46723.709... |

 S5SREPRO067 - BIRTHS TO INDIVIDUALS AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1634    | 130052  | 50034.133... | 40618.340... |

 S1SREPRO068 - BIRTHS TO INDIVIDUALS AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1732    | 125236  | 46105.706... | 40715.571... |

 S2SREPRO068 - BIRTHS TO INDIVIDUALS AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1732    | 125236  | 45839.169... | 40540.486... |

 S3SREPRO068 - BIRTHS TO INDIVIDUALS AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 1052    | 127640  | 46980.622... | 41817.589... |

### S4SREPRO068 - BIRTHS TO INDIVIDUALS AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 1399    | 132672  | 46510.526... | 41897.415... |

### S5SREPRO068 - BIRTHS TO INDIVIDUALS AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1755    | 146995  | 50721.499... | 44892.880... |

### S1SREPRO069 - BIRTHS TO INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 815     | 61948   | 21412.524... | 20421.997... |

### S2SREPRO069 - BIRTHS TO INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 815     | 61948   | 21265.835... | 20333.683... |

### S3SREPRO069 - BIRTHS TO INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 479     | 68758   | 23789.936... | 22811.757... |

### S4SREPRO069 - BIRTHS TO INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 589     | 76983   | 24960.191... | 24474.885... |

### S5SREPRO069 - BIRTHS TO INDIVIDUALS AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 734     | 85564   | 27092.658... | 26769.315... |

### S1SREPRO070 - BIRTHS TO INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 144     | 13835   | 4328.1860... | 4638.8152... |

### S2SREPRO070 - BIRTHS TO INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 144     | 13835   | 4293.2917... | 4618.8201... |

### S3SREPRO070 - BIRTHS TO INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 110     | 16607   | 5290.6610... | 5599.8940... |

### S4SREPRO070 - BIRTHS TO INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 123     | 20273   | 6083.1314... | 6522.9584... |

### S5SREPRO070 - BIRTHS TO INDIVIDUALS AGED 40 OR OLDER

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 121     | 22271   | 6461.4689... | 7043.8218... |

### S1SREPRO071 - MISCARRIAGES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 886       | 4.27%      |            |
|         | -9990 | geocode missing            | 133       | 0.64%      |            |
|         |       | Total                      | 1,019     | 4.91%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 19726 | 1019    | 10      | 460     | 181.08131... | 150.89217... |

### S2SREPRO071 - MISCARRIAGES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 650       | 3.13%      |            |
|         | -9991 | not interviewed            | 6009      | 28.97%     |            |
|         | -9990 | geocode missing            | 81        | 0.39%      |            |
|         |       | Total                      | 6,740     | 32.49%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14005 | 6740    | 10      | 460     | 179.75508... | 150.61495... |

### S3SREPRO071 - MISCARRIAGES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 984       | 4.74%      |            |
|         | -9991 | not interviewed            | 5575      | 26.87%     |            |
|         | -9990 | geocode missing            | 281       | 1.35%      |            |
|         |       | Total                      | 6,840     | 32.97%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 13905 | 6840    | 10      | 340     | 143.75979... | 113.25032... |

### S4SREPRO071 - MISCARRIAGES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1013      | 4.88%      |            |
|         | -9991 | not interviewed            | 5044      | 24.31%     |            |
|         | -9990 | geocode missing            | 5         | 0.02%      |            |
|         |       | Total                      | 6,062     | 29.22%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14683 | 6062    | 10      | 230     | 97.693250... | 78.567221... |

### S5SREPRO071 - MISCARRIAGES TO INDIVIDUALS AGED 14 OR YOUNGER (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2483      | 11.97%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,859    | 57.17%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8886  | 11859   | 10      | 90      | 33.273688... | 23.287656... |

### S1SREPRO072 - MISCARRIAGES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 60      | 6850    | 2536.4379... | 2261.8527... |

### S2SREPRO072 - MISCARRIAGES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 60      | 6850    | 2518.8659... | 2256.0680... |

### S3SREPRO072 - MISCARRIAGES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 40      | 5330    | 2078.1785... | 1817.8758... |

### S4SREPRO072 - MISCARRIAGES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 5,049 | 24.34% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 30      | 4590    | 1733.5818... | 1576.1018... |

### S5SREPRO072 - MISCARRIAGES TO INDIVIDUALS AGED 15-17 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 10      | 1930    | 647.45737... | 552.06612... |

### S1SREPRO073 - MISCARRIAGES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 110     | 10630   | 4003.4378... | 3465.0463... |

### S2SREPRO073 - MISCARRIAGES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |     |       |              |              |
|-------|------|-----|-------|--------------|--------------|
| 14655 | 6090 | 110 | 10630 | 3977.9242... | 3455.3909... |
|-------|------|-----|-------|--------------|--------------|

### S3SREPRO073 - MISCARRIAGES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 100     | 10060   | 3932.3158... | 3365.1270... |

### S4SREPRO073 - MISCARRIAGES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 100     | 9170    | 3551.6908... | 3040.4713... |

### S5SREPRO073 - MISCARRIAGES TO INDIVIDUALS AGED 18-19 (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2044      | 9.85%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,420    | 55.05%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9325  | 11420   | 40      | 4530    | 1756.5919... | 1399.0995... |

### S1SREPRO074 - MISCARRIAGES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 170     | 17480   | 6539.2111... | 5726.3697... |

### S2SREPRO074 - MISCARRIAGES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 170     | 17480   | 6496.0928... | 5710.9226... |

### S3SREPRO074 - MISCARRIAGES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 140     | 15390   | 6011.5991... | 5181.0695... |

### S4SREPRO074 - MISCARRIAGES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 120     | 13770   | 5286.6876... | 4617.5371... |

### S5SREPRO074 - MISCARRIAGES TO INDIVIDUALS AGED 15-19 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 50      | 6460    | 2179.0412... | 1865.5905... |

### S1SREPRO075 - MISCARRIAGES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 170     | 17930   | 6711.8654... | 5873.5374... |

### S2SREPRO075 - MISCARRIAGES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 170     | 17930   | 6667.2951... | 5857.7789... |

### S3SREPRO075 - MISCARRIAGES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 140     | 15720   | 6145.0910... | 5292.3031... |

### S4SREPRO075 - MISCARRIAGES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 130     | 14000   | 5378.3575... | 4695.5784... |

### S5SREPRO075 - MISCARRIAGES TO INDIVIDUALS AGED YOUNGER THAN 20 (ROUNDED TO 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 50      | 6550    | 2206.5177... | 1888.7819... |

### S1SREPRO076 - MISCARRIAGES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 360     | 32710   | 12099.597... | 10698.382... |

### S2SREPRO076 - MISCARRIAGES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 360     | 32710   | 12021.679... | 10666.295... |

### S3SREPRO076 - MISCARRIAGES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 320     | 32270   | 12446.464... | 10682.671... |

### S4SREPRO076 - MISCARRIAGES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 360     | 31410   | 11980.748... | 10173.391... |

### S5SREPRO076 - MISCARRIAGES TO INDIVIDUALS AGED 20-24 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 210     | 20910   | 8097.4852... | 6590.3196... |

### S1SREPRO077 - MISCARRIAGES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 440     | 34660   | 12742.573... | 11261.477... |

### S2SREPRO077 - MISCARRIAGES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 440     | 34660   | 12666.330... | 11218.808... |

### S3SREPRO077 - MISCARRIAGES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 380     | 33350   | 12555.260... | 10956.728... |

### S4SREPRO077 - MISCARRIAGES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 400     | 34590   | 12767.763... | 10957.547... |

### S5SREPRO077 - MISCARRIAGES TO INDIVIDUALS AGED 25-29 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 29990   | 11262.668... | 9270.1306... |

### S1SREPRO078 - MISCARRIAGES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 370     | 28440   | 10353.719... | 9315.5861... |

### S2SREPRO078 - MISCARRIAGES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 370     | 28440   | 10288.515... | 9274.8530... |

### S3SREPRO078 - MISCARRIAGES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 230     | 28870   | 10495.471... | 9519.7474... |

### S4SREPRO078 - MISCARRIAGES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 290     | 29580   | 10251.534... | 9364.5116... |

### S5SREPRO078 - MISCARRIAGES TO INDIVIDUALS AGED 30-34 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 31910   | 10940.842... | 9744.5170... |

### S1SREPRO079 - MISCARRIAGES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 180     | 14510   | 4961.7203... | 4814.3335... |

### S2SREPRO079 - MISCARRIAGES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 180     | 14510   | 4925.7755... | 4793.2144... |

### S3SREPRO079 - MISCARRIAGES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 120     | 15740   | 5404.3945... | 5256.3988... |

### S4SREPRO079 - MISCARRIAGES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 130     | 17260   | 5570.4918... | 5506.8240... |

### S5SREPRO079 - MISCARRIAGES TO INDIVIDUALS AGED 35-39 (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 150     | 18500   | 5875.2335... | 5804.0790... |

### S1SREPRO080 - MISCARRIAGES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 40      | 3420    | 1075.7233... | 1152.1020... |

### S2SREPRO080 - MISCARRIAGES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 40      | 3420    | 1066.8706... | 1147.0565... |

### S3SREPRO080 - MISCARRIAGES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 30      | 4000    | 1275.8539... | 1357.5054... |

### S4SREPRO080 - MISCARRIAGES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 30      | 4710    | 1417.8204... | 1524.1304... |

### S5SREPRO080 - MISCARRIAGES TO INDIVIDUALS AGED 40 OR OLDER (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 30      | 4920    | 1448.7808... | 1564.0078... |

### S1SREPRO081 - POPULATION OF WOMEN AGED 14

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 4331    | 232435  | 92397.771... | 73823.547... |

### S2SREPRO081 - POPULATION OF WOMEN AGED 14

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 6009  | 28.97% |  |
|         | -9990 | geocode missing | 81    | 0.39%  |  |
|         |       | Total           | 6,090 | 29.36% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 4331    | 232435  | 91979.295... | 73549.981... |

### S3SREPRO081 - POPULATION OF WOMEN AGED 14

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 2704    | 241014  | 95076.607... | 77705.720... |

### S4SREPRO081 - POPULATION OF WOMEN AGED 14

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 2892    | 263500  | 97570.992... | 82665.712... |

### S5SREPRO081 - POPULATION OF WOMEN AGED 14

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2483    | 246311  | 91729.966... | 77996.018... |

### S1SREPRO082 - POPULATION OF WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 12461   | 647586  | 265415.02... | 204905.80... |

### S2SREPRO082 - POPULATION OF WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 12461   | 647586  | 264287.80... | 204150.40... |

### S3SREPRO082 - POPULATION OF WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 8470    | 710582  | 281792.41... | 229066.25... |

### S4SREPRO082 - POPULATION OF WOMEN AGED 15-17

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 8861    | 824052  | 304637.68... | 257174.60... |

 S5SREPRO082 - POPULATION OF WOMEN AGED 15-17

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7767    | 754700  | 281084.47... | 237395.78... |

 S1SREPRO083 - POPULATION OF WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 7882    | 389333  | 166797.49... | 122474.53... |

 S2SREPRO083 - POPULATION OF WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 7882    | 389333  | 166083.16... | 122038.96... |

 S3SREPRO083 - POPULATION OF WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 7810    | 471702  | 189261.27... | 151268.22... |

### S4SREPRO083 - POPULATION OF WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 7659    | 556358  | 204282.53... | 167972.99... |

### S5SREPRO083 - POPULATION OF WOMEN AGED 18-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 6816    | 506646  | 186456.54... | 156755.19... |

### S1SREPRO084 - POPULATION OF WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 20343   | 1036919 | 432212.51... | 327285.77... |

### S2SREPRO084 - POPULATION OF WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 6,090 | 29.36% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 20343   | 1036919 | 430370.96... | 326096.12... |

### S3SREPRO084 - POPULATION OF WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 19814   | 1182284 | 471053.69... | 380306.67... |

### S4SREPRO084 - POPULATION OF WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 18513   | 1371445 | 508920.22... | 425073.09... |

### S5SREPRO084 - POPULATION OF WOMEN AGED 15-19

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 17312   | 1261346 | 467541.02... | 393967.70... |

### S1SREPRO085 - POPULATION OF WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 20343   | 1036919 | 432212.51... | 327285.77... |

### S2SREPRO085 - POPULATION OF WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 20343   | 1036919 | 430370.96... | 326096.12... |

### S3SREPRO085 - POPULATION OF WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 19814   | 1182284 | 471053.69... | 380306.67... |

### S4SREPRO085 - POPULATION OF WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 18513   | 1371445 | 508920.22... | 425073.09... |

### S5SREPRO085 - POPULATION OF WOMEN AGED YOUNGER THAN 20

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 17312   | 1261346 | 467541.02... | 393967.70... |

### S1SREPRO086 - POPULATION OF WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 18284   | 1002422 | 416581.79... | 317568.51... |

### S2SREPRO086 - POPULATION OF WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 18284   | 1002422 | 414544.10... | 316468.65... |

### S3SREPRO086 - POPULATION OF WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 16024   | 1144388 | 450865.17... | 368832.80... |

 S4SREPRO086 - POPULATION OF WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 19163   | 1303607 | 483570.83... | 400985.38... |

 S5SREPRO086 - POPULATION OF WOMEN AGED 20-24

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 18271   | 1355033 | 488930.97... | 416035.41... |

 S1SREPRO087 - POPULATION OF WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 20570   | 1263294 | 489145.28... | 403048.92... |

 S2SREPRO087 - POPULATION OF WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 20570   | 1263294 | 486310.76... | 401583.23... |

### S3SREPRO087 - POPULATION OF WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 14320   | 1229480 | 472458.27... | 399292.59... |

### S4SREPRO087 - POPULATION OF WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 17092   | 1336716 | 494276.77... | 418712.43... |

### S5SREPRO087 - POPULATION OF WOMEN AGED 25-29

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 17522   | 1507822 | 531496.25... | 468759.57... |

### S1SREPRO088 - POPULATION OF WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |

|  |  |       |     |       |  |
|--|--|-------|-----|-------|--|
|  |  | Total | 133 | 0.64% |  |
|--|--|-------|-----|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 21387   | 1382143 | 539899.39... | 441576.33... |

### S2SREPRO088 - POPULATION OF WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 21387   | 1382143 | 536737.33... | 439953.28... |

### S3SREPRO088 - POPULATION OF WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 14555   | 1306036 | 502024.17... | 422302.92... |

### S4SREPRO088 - POPULATION OF WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 15710   | 1249089 | 457843.97... | 387241.85... |

### S5SREPRO088 - POPULATION OF WOMEN AGED 30-34

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 18038   | 1399788 | 501601.05... | 438977.56... |

### S1SREPRO089 - POPULATION OF WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 26568   | 1352234 | 548091.57... | 427495.33... |

### S2SREPRO089 - POPULATION OF WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 26568   | 1352234 | 545300.61... | 425902.97... |

### S3SREPRO089 - POPULATION OF WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 18354   | 1382911 | 546426.05... | 444357.15... |

### S4SREPRO089 - POPULATION OF WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 15978   | 1315297 | 494454.23... | 411635.55... |

### S5SREPRO089 - POPULATION OF WOMEN AGED 35-39

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 17830   | 1332194 | 482783.72... | 415482.52... |

### S1SREPRO090 - POPULATION OF WOMEN AGED 40-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 25812   | 1201110 | 495355.27... | 377119.56... |

### S2SREPRO090 - POPULATION OF WOMEN AGED 40-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 25812   | 1201110 | 492964.69... | 375723.92... |

 S3SREPRO090 - POPULATION OF WOMEN AGED 40-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 21090   | 1333879 | 537953.17... | 425670.70... |

 S4SREPRO090 - POPULATION OF WOMEN AGED 40-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 16377   | 1305301 | 500560.46... | 405269.92... |

 S5SREPRO090 - POPULATION OF WOMEN AGED 40-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15839   | 1252593 | 455682.16... | 391700.71... |

 S1SREPRO091 - POPULATION OF WOMEN AGED 15-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 132964  | 7238122 | 2921285.8... | 2291828.9... |

### S2SREPRO091 - POPULATION OF WOMEN AGED 15-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 132964  | 7238122 | 2906228.4... | 2283451.0... |

### S3SREPRO091 - POPULATION OF WOMEN AGED 15-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 104518  | 7578978 | 2980780.5... | 2438875.2... |

### S4SREPRO091 - POPULATION OF WOMEN AGED 15-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 104431  | 7851872 | 2939626.5... | 2447733.7... |

### S5SREPRO091 - POPULATION OF WOMEN AGED 15-44

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 107979  | 8068497 | 2928035.2... | 2523663.2... |

### S1SREPRO092 - TOTAL ABORTIONS (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 2050    | 237870  | 79866.080... | 81865.527... |

### S2SREPRO092 - TOTAL ABORTIONS (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 2050    | 237870  | 79089.490... | 81499.588... |

### S3SREPRO092 - TOTAL ABORTIONS (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 940     | 235670  | 77139.921... | 81910.058... |

### S4SREPRO092 - TOTAL ABORTIONS (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 970     | 211930  | 66182.418... | 70248.134... |

### S5SREPRO092 - TOTAL ABORTIONS (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 720     | 139320  | 43433.557... | 43869.024... |

### S1SREPRO093 - TOTAL BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 6767    | 539433  | 199797.21... | 174652.83... |

### S2SREPRO093 - TOTAL BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 6767    | 539433  | 198641.96... | 174040.00... |

 S3SREPRO093 - TOTAL BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 6253    | 531959  | 203054.16... | 174525.41... |

 S4SREPRO093 - TOTAL BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 6339    | 551779  | 203743.07... | 176315.18... |

 S5SREPRO093 - TOTAL BIRTHS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5655    | 488827  | 177437.69... | 152048.96... |

 S1SREPRO098 - TOTAL NUMBER OF MISCARRIAGES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |

|  |  |       |     |       |  |
|--|--|-------|-----|-------|--|
|  |  | Total | 133 | 0.64% |  |
|--|--|-------|-----|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 1560    | 131670  | 47945.494... | 42880.298... |

### S2SREPRO098 - TOTAL NUMBER OF MISCARRIAGES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 1560    | 131670  | 47636.807... | 42723.804... |

### S3SREPRO098 - TOTAL NUMBER OF MISCARRIAGES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 1450    | 129960  | 48324.307... | 42797.793... |

### S4SREPRO098 - TOTAL NUMBER OF MISCARRIAGES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |      |        |              |              |
|-------|------|------|--------|--------------|--------------|
| 15696 | 5049 | 1440 | 131550 | 47366.743... | 41926.078... |
|-------|------|------|--------|--------------|--------------|

### S5SREPRO098 - TOTAL NUMBER OF MISCARRIAGES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1240    | 111700  | 39830.438... | 34477.266... |

### S1SREPRO099 - TOTAL NUMBER OF PREGNANCIES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9990 | geocode missing | 133       | 0.64%      |            |
|         |       | Total           | 133       | 0.64%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 20612 | 133     | 10380   | 908980  | 327610.23... | 297394.43... |

### S2SREPRO099 - TOTAL NUMBER OF PREGNANCIES (ROUNDED TO NEAREST 10)

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 6009      | 28.97%     |            |
|         | -9990 | geocode missing | 81        | 0.39%      |            |
|         |       | Total           | 6,090     | 29.36%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14655 | 6090    | 10380   | 908980  | 325369.70... | 296281.55... |

### S3SREPRO099 - TOTAL NUMBER OF PREGNANCIES (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5575      | 26.87%     |            |
|         | -9990 | geocode missing | 281       | 1.35%      |            |
|         |       | Total           | 5,856     | 28.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 14889 | 5856    | 9460    | 897590  | 328520.27... | 296692.36... |

### S4SREPRO099 - TOTAL NUMBER OF PREGNANCIES (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 5044      | 24.31%     |            |
|         | -9990 | geocode missing | 5         | 0.02%      |            |
|         |       | Total           | 5,049     | 24.34%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 15696 | 5049    | 9510    | 895260  | 317292.27... | 285344.14... |

### S5SREPRO099 - TOTAL NUMBER OF PREGNANCIES (ROUNDED TO NEAREST 10)

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8040    | 739840  | 260702.58... | 227526.07... |

### S5SREPRO112 - CHANGE IN NUMBER OF ABORTION CLINICS, 2017-2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -9      | 12      | 1.3916791... | 5.3795659... |

### S5SREPRO113 - CHANGE IN NUMBER OF ABORTION PROVIDERS, 2014-2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | -93     | 34      | -12.71114... | 33.297138... |

### S5SREPRO114 - NUMBER OF ABORTION CLINICS, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1       | 173     | 42.690737... | 57.154674... |

### S5SREPRO115 - NUMBER OF ABORTION PROVIDERS, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1       | 419     | 92.242501... | 141.14104... |

### S5SREPRO116 - ABORTIONS AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 20      | 3520    | 1331.4697... | 1268.6065... |

### S5SREPRO117 - ABORTIONS AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 80      | 11940   | 3865.0250... | 3901.6203... |

### S5SREPRO118 - ABORTIONS AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|      |       |    |      |              |              |
|------|-------|----|------|--------------|--------------|
| 8389 | 12356 | 60 | 8420 | 3176.4215... | 2924.7788... |
|------|-------|----|------|--------------|--------------|

### S5SREPRO119 - ABORTIONS AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 630       | 3.04%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,006    | 48.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10739 | 10006   | 10      | 300     | 102.05354... | 95.989050... |

### S5SREPRO122 - ABORTIONS, BY STATE OF OCCURRENCE, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 100     | 154060  | 48118.234... | 50649.054... |

### S5SREPRO123 - ABORTIONS, BY STATE OF RESIDENCE, 2020

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 680     | 152400  | 47701.918... | 49409.260... |

### S5SREPRO124 - FEDERALLY FUNDED ABORTIONS, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 237     | 11.798575... | 46.295191... |

### S5SREPRO125 - STATE FUNDED ABORTIONS, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1208      | 5.82%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,584    | 51.02%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10161 | 10584   | 0       | 88466   | 16928.276... | 32347.552... |

### S5SREPRO126 - REPORTED PUBLIC EXPENDITURES FOR ABORTIONS (IN THOUSANDS USD), FEDERAL, 2015

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 12        | 0.06%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,388     | 45.25%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11357 | 9388    | 0       | 999     | 142.20093... | 334.85069... |

### S5SREPRO127 - REPORTED PUBLIC EXPENDITURES FOR ABORTIONS (IN THOUSANDS USD), STATE, 2015

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 1521   | 7.33%  |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 10,897 | 52.53% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9848  | 10897   | 0       | 32613   | 6507.2284... | 12017.410... |

### S5SREPRO128 - TOTAL PUBLICLY FUNDED ABORTIONS, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1062      | 5.12%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,438    | 50.32%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10307 | 10438   | 0       | 88466   | 16701.499... | 32173.225... |

### S5SREPRO129 - TOTAL REPORTED PUBLIC EXPENDITURES FOR ABORTIONS (IN THOUSANDS USD), 2015

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 431       | 2.08%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,807     | 47.27%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10938 | 9807    | 0       | 32613   | 6006.4209... | 11498.274... |

### S5SREPRO136 - ABORTIONS AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  | Frequency | % of total | % of valid |
|--|-----------|------------|------------|
|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2980   | 14.36% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,356 | 59.56% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 20      | 3520    | 1331.4697... | 1268.6065... |

### S5SREPRO137 - ABORTIONS AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 80      | 11940   | 3865.0250... | 3901.6203... |

### S5SREPRO138 - ABORTIONS AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 60      | 8420    | 3176.4215... | 2924.7788... |

### S5SREPRO139 - ABORTIONS AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  | Frequency | % of total | % of valid |
|--|-----------|------------|------------|
|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 630    | 3.04%  |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 10,006 | 48.23% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10739 | 10006   | 10      | 300     | 102.05354... | 95.989050... |

### S5SREPRO140 - BIRTHS AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 37      | 7755    | 2227.4572... | 2095.7272... |

### S5SREPRO141 - BIRTHS AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 206     | 26971   | 8686.0249... | 7518.9046... |

### S5SREPRO142 - BIRTHS AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 169     | 19216   | 6458.5676... | 5435.2601... |

### S5SREPRO143 - BIRTHS AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 482       | 2.32%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,858     | 47.52%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10887 | 9858    | 10      | 301     | 88.128869... | 76.906380... |

### S5SREPRO144 - FETAL LOSSES AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 10      | 1700    | 658.72928... | 537.29144... |

### S5SREPRO145 - FETAL LOSSES AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 50      | 5900    | 2123.5799... | 1801.0052... |

### S5SREPRO146 - FETAL LOSSES AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 40      | 4210    | 1812.5104... | 1380.7211... |

### S5SREPRO147 - FETAL LOSSES AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2705      | 13.04%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,081    | 58.24%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8664  | 12081   | 10      | 70      | 31.867497... | 21.495468... |

### S5SREPRO148 - PREGNANCIES AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |        |        |  |
|--|--|-------|--------|--------|--|
|  |  | Total | 12,356 | 59.56% |  |
|--|--|-------|--------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 80      | 10890   | 4609.9272... | 3705.7843... |

### S5SREPRO149 - PREGNANCIES AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 37960   | 14675.047... | 12440.511... |

### S5SREPRO150 - PREGNANCIES AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 280     | 27060   | 12465.691... | 9494.5952... |

### S5SREPRO151 - PREGNANCIES AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 89        | 0.43%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 9,465 | 45.63% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11280 | 9465    | 10      | 510     | 206.29166... | 172.41353... |

### S5SREPRO165 - ANNUAL FAMILY PLANNING COST PER CLIENT, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 45      | 556     | 312.52977... | 107.21740... |

### S5SREPRO166 - COST PER MEDICAID-FUNDED BIRTH, INCLUDING DELIVERY, INFANT AND CHILD COSTS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 15366   | 45083   | 21893.875... | 4176.6401... |

### S5SREPRO167 - TITLE X-FUNDED CENTERS, 2015

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5       | 353     | 129.06834... | 97.874109... |

### S5SREPRO168 - ABORTIONS AVERTED BY TITLE X-FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 65730   | 14549.963... | 20960.793... |

### S5SREPRO169 - ABORTIONS AVERTED BY PUBLICLY FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 650     | 117390  | 26270.188... | 37485.338... |

### S5SREPRO170 - BIRTHS AVERTED BY TITLE X-FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 500     | 91480   | 20249.001... | 29172.652... |

### S5SREPRO171 - BIRTHS AVERTED BY PUBLICLY FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 910     | 163380  | 36561.293... | 52170.892... |

### S5SREPRO172 - FEMALE CONTRACEPTIVE CLIENTS SERVED AT TITLE X-FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4950    | 905950  | 200536.10... | 288903.31... |

### S5SREPRO173 - FEMALE CONTRACEPTIVE CLIENTS SERVED AT PUBLICLY FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8970    | 1618010 | 362080.86... | 516667.09... |

### S5SREPRO174 - FEMALE CONTRACEPTIVE CLIENTS UNDER 20 SERVED AT TITLE X-FUNDED CENTERS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1170    | 140280  | 32556.822... | 44203.910... |

### S5SREPRO175 - FEMALE CONTRACEPTIVE CLIENTS UNDER 20 SERVED AT PUBLICLY FUNDED CENTERS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 2310            | 252840           | 62825.696... | 79464.594... |

### S5SREPRO176 - PREGNANCIES AVERTED BY TITLE X-FUNDED CENTERS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 1060            | 194280           | 43004.172... | 61955.218... |

### S5SREPRO177 - PREGNANCIES AVERTED BY PUBLICLY FUNDED CENTERS, 2016

| Type    |         |                 | Numeric (Double) |              |              |
|---------|---------|-----------------|------------------|--------------|--------------|
|         |         |                 | Frequency        | % of total   | % of valid   |
| Missing | -9991   | not interviewed | 8445             | 40.71%       |              |
|         | -9990   | geocode missing | 931              | 4.49%        |              |
|         |         | Total           | 9,376            | 45.2%        |              |
| Valid   | Invalid | Minimum         | Maximum          | Mean         | StdDev       |
| 11369   | 9376    | 1920            | 346970           | 77646.336... | 110794.83... |

### S5SREPRO178 - PREGNANCIES AVERTED TO CLIENTS UNDER 20 BY TITLE X-FUNDED CENTERS, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 320     | 38590   | 8956.6496... | 12159.915... |

### S5SREPRO179 - PREGNANCIES AVERTED TO CLIENTS UNDER 20 BY PUBLICLY FUNDED CENTERS, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 630     | 69560   | 17284.547... | 21861.575... |

### S5SREPRO180 - PUBLICLY FUNDED FAMILY PLANNING CENTERS, 2015

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 31      | 1697    | 471.38279... | 506.75309... |

### S5SREPRO181 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, HISPANIC, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 940     | 1366050 | 345935.01... | 482371.54... |

 S5SREPRO182 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, HISPANIC, 20-44 & < 250% FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 680     | 1102300 | 279582.45... | 389076.50... |

 S5SREPRO183 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, HISPANIC, UNDER 20, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 270     | 263760  | 66353.531... | 93344.458... |

 S5SREPRO184 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 13-44, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 34960   | 2526010 | 946117.15... | 795828.10... |

### S5SREPRO185 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 20-44 AND AT 100-137% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4030    | 334600  | 121547.30... | 106768.32... |

### S5SREPRO186 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 20-44 AND AT 138-199% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 6620    | 524850  | 190818.62... | 167624.00... |

### S5SREPRO187 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 20-44 AND AT 200-249% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5900    | 390800  | 142652.29... | 123082.43... |

### S5SREPRO188 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 20-44 AND BELOW 250% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 25720   | 1998580 | 740998.91... | 631464.27... |

### S5SREPRO189 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 20-44 AND BELOW FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8460    | 748320  | 285978.39... | 234668.65... |

### S5SREPRO190 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, noN-HISPANIC BLACK, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |     |        |              |              |
|-------|------|-----|--------|--------------|--------------|
| 11369 | 9376 | 220 | 322630 | 145814.40... | 95354.293... |
|-------|------|-----|--------|--------------|--------------|

### S5SREPRO191 - WOMEN WHO LIKELY NEED PUB SUPPORT CSS, noN-HISP BLACK, 20-44 & < 250% FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 160     | 264700  | 117587.30... | 77092.389... |

### S5SREPRO192 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, noN-HISPANIC BLACK, UNDER 20, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 60      | 61270   | 28227.352... | 18432.291... |

### S5SREPRO193 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, noN-HISPANIC WHITE, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 12700   | 630140  | 364701.17... | 191192.45... |

### S5SREPRO194 - WOMEN WHO LIKELY NEED PUB SUPPORT CSS, noN-HISP WHITE, 20-44 & < 250% FPL, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 9720    | 468270  | 270579.97... | 142541.59... |

### S5SREPRO195 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, noN-HISPANIC WHITE, UNDER 20, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2310    | 161870  | 94120.881... | 49733.577... |

### S5SREPRO196 - WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, UNDER 20, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8220    | 527440  | 205120.86... | 164894.01... |

### S5SREPRO197 - WOMEN WITH POTENTIAL DEMAND FOR CSS, HISPANIC, 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1910    | 2165430 | 541576.92... | 758966.25... |

### S5SREPRO198 - WOMEN WITH POTENTIAL DEMAND FOR CSS, 18-19 , 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 4780    | 305760  | 116107.42... | 95547.819... |

### S5SREPRO199 - WOMEN WITH POTENTIAL DEMAND FOR CSS, 20-29 , 2016

|      |                  |  |  |  |  |
|------|------------------|--|--|--|--|
| Type | Numeric (Double) |  |  |  |  |
|------|------------------|--|--|--|--|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 31910   | 2353390 | 847277.19... | 733294.66... |

### S5SREPRO200 - WOMEN WITH POTENTIAL DEMAND FOR CSS, 20-44 & >= 250% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 34410   | 2614920 | 902237.85... | 811122.86... |

### S5SREPRO201 - WOMEN WITH POTENTIAL DEMAND FOR CSS, 20-44 & < 250% OF FPL, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 25720   | 1998580 | 740998.91... | 631464.27... |

### S5SREPRO202 - WOMEN WITH POTENTIAL DEMAND FOR CSS, 30-44, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 29240   | 2260110 | 795958.30... | 703144.57... |

### S5SREPRO203 - WOMEN WITH POTENTIAL DEMAND FOR CSS, noN-HISPANIC BLACK, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 640     | 489870  | 228835.36... | 153449.06... |

### S5SREPRO204 - WOMEN WITH POTENTIAL DEMAND FOR CSS, noN-HISPANIC WHITE, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 35060   | 1651180 | 844241.99... | 489785.19... |

### S5SREPRO205 - WOMEN WITH POTENTIAL DEMAND FOR CSS, UNDER 18, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2980    | 221670  | 89013.056... | 69438.586... |

### S5SREPRO206 - WOMEN WITH POTENTIAL DEMAND FOR CSS, UNDER 20, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8220    | 527440  | 205120.86... | 164894.01... |

### S5SREPRO207 - UNINSURED WOMEN 20-44 & <138% FPL WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 870     | 607590  | 144422.40... | 163298.99... |

### S5SREPRO208 - UNINSURED WOMEN 20-44 & 138%-250% FPL WHO LIKELY NEED PUB SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1050    | 332680  | 89714.687... | 94189.317... |

### S5SREPRO209 - UNINSURED WOMEN WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2040    | 1105710 | 271332.71... | 300527.49... |

### S5SREPRO210 - UNINSURED WOMEN UNDER 20 WHO LIKELY NEED PUBLIC SUPPORT FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 120     | 165440  | 37196.421... | 43953.964... |

### S5SREPRO211 - WOMEN 13-44 WITH POTENTIAL DEMAND FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 69370   | 5140940 | 1848356.6... | 1600460.3... |

### S5SREPRO212 - WOMEN 20-44 WITH POTENTIAL DEMAND FOR CSS, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 61150   | 4613500 | 1643236.1... | 1436242.5... |

### S5SREPRO226 - POPULATION ESTIMATES AMONG WOMEN 15-17, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7824    | 747781  | 280759.81... | 237100.93... |

### S5SREPRO227 - POPULATION ESTIMATES AMONG WOMEN 15-19, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 17312   | 1250240 | 467269.44... | 393486.71... |

### S5SREPRO228 - POPULATION OF WOMEN 13-44, 2016

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 116940  | 8557280 | 3103666.7... | 2672742.3... |

### S5SREPRO229 - POPULATION OF WOMEN 15-44, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 107740  | 8104632 | 2939259.6... | 2535623.1... |

 S5SREPRO232 - PREGNANCIES ENDING IN ABORTION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5       | 27      | 14.760489... | 5.0393665... |

 S5SREPRO233 - PREGNANCIES ENDING IN BIRTH, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 58      | 79      | 69.629430... | 4.7468256... |

 S5SREPRO234 - PREGNANCIES WANTED LATER OR UNWANTED ENDING IN ABORTION, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 16      | 59      | 36.169354... | 10.805701... |

 S5SREPRO235 - PREGNANCIES WANTED LATER OR UNWANTED ENDING IN BIRTH, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 29      | 69      | 50.319235... | 9.7606372... |

### S5SREPRO246 - ABORTIONS AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 20      | 3520    | 1331.4697... | 1268.6065... |

### S5SREPRO247 - ABORTIONS AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 80      | 11940   | 3865.0250... | 3901.6203... |

### S5SREPRO248 - ABORTIONS AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2980   | 14.36% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,356 | 59.56% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 60      | 8420    | 3176.4215... | 2924.7788... |

### S5SREPRO249 - ABORTIONS AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 630       | 3.04%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 10,006    | 48.23%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10739 | 10006   | 10      | 300     | 102.05354... | 95.989050... |

### S5SREPRO250 - BIRTHS AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 37      | 7755    | 2227.4572... | 2095.7272... |

### S5SREPRO251 - BIRTHS AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 206     | 26971   | 8686.0249... | 7518.9046... |

### S5SREPRO252 - BIRTHS AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 169     | 19216   | 6458.5676... | 5435.2601... |

### S5SREPRO253 - BIRTHS AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 482       | 2.32%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,858     | 47.52%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 10887 | 9858    | 10      | 301     | 88.128869... | 76.906380... |

### S5SREPRO254 - FETAL LOSSES AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2980   | 14.36% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,356 | 59.56% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 10      | 1700    | 658.72928... | 537.29144... |

### S5SREPRO255 - FETAL LOSSES AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE , 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 50      | 5900    | 2123.5799... | 1801.0052... |

### S5SREPRO256 - FETAL LOSSES AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 40      | 4210    | 1812.5104... | 1380.7211... |

### S5SREPRO257 - FETAL LOSSES AMONG WOMEN AGED YOUNGER THAN 15, BY STATE OF RESIDENCE , 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  | Frequency | % of total | % of valid |
|--|-----------|------------|------------|
|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2705   | 13.04% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,081 | 58.24% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8664  | 12081   | 10      | 70      | 31.867497... | 21.495468... |

### S5SREPRO258 - PREGNANCIES AMONG WOMEN AGED 15-17, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2980      | 14.36%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,356    | 59.56%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 80      | 10890   | 4609.9272... | 3705.7843... |

### S5SREPRO259 - PREGNANCIES AMONG WOMEN AGED 15-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 360     | 37960   | 14675.047... | 12440.511... |

### S5SREPRO260 - PREGNANCIES AMONG WOMEN AGED 18-19, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  | Frequency | % of total | % of valid |
|--|-----------|------------|------------|
|--|-----------|------------|------------|

|         |       |                            |        |        |  |
|---------|-------|----------------------------|--------|--------|--|
| Missing | -9992 | missing in the source data | 2980   | 14.36% |  |
|         | -9991 | not interviewed            | 8445   | 40.71% |  |
|         | -9990 | geocode missing            | 931    | 4.49%  |  |
|         |       | Total                      | 12,356 | 59.56% |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8389  | 12356   | 280     | 27060   | 12465.691... | 9494.5952... |

### S5SREPRO261 - PREGNANCIES AMONG WOMEN YOUNGER THAN 15, BY STATE OF RESIDENCE, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 89        | 0.43%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,465     | 45.63%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11280 | 9465    | 10      | 510     | 206.29166... | 172.41353... |

### S5SREPRO262 - PREGNANCIES ENDING IN BIRTH, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 5655    | 471658  | 176010.43... | 150306.73... |

### S5SREPRO263 - PREGNANCIES WANTED LATER OR UNWANTED, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 2570    | 273370  | 101785.96... | 88022.475... |

### S5SREPRO264 - PUBLICLY FUNDED BIRTHS, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 2600    | 253600  | 95964.359... | 85162.392... |

### S5SREPRO265 - PUBLICLY FUNDED PLANNED BIRTH, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1300    | 148300  | 46265.678... | 48189.864... |

### S5SREPRO266 - PUBLICLY FUNDED UNPLANNED BIRTH, 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1300    | 133200  | 49705.822... | 39136.875... |

### S5SREPRO267 - PREGNANCIES WANTED LATER OR UNWANTED AS A % OF ALL PREGNANCIES, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 26      | 44      | 38.234381... | 3.7913336... |

### S5SREPRO271 - PUBLIC COSTS PER WOMAN 15-44 FOR UNINTENDED PREGNANCIES (IN DOLLARS), 2010

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 107     | 790     | 370.31858... | 114.72315... |

### S5SREPRO276 - TOTAL PREGNANCIES AMONG WOMEN AGED 15-44, 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 8040    | 710510  | 258650.91... | 224786.03... |

### S5SREPRO279 - WANTED-LATER-OR-UNWANTED PREGNANCY RATE (PER 1,000 WOMEN AGED 15-44), 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 9,396 | 45.29% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 22      | 45      | 33.574940... | 4.6968696... |

### S5SREPRO280 - WANTED-THEN-OR-SOONER PREGNANCY RATE (PER 1,000 WOMEN AGED 15?44), 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 34      | 57      | 41.386730... | 3.2882552... |

### S5SREPRO281 - WASN'T-SURE PREGNANCY RATE (PER 1,000 WOMEN AGED 15?44), 2017

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 20        | 0.1%       |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 9,396     | 45.29%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11349 | 9396    | 6       | 17      | 12.121156... | 1.5803698... |

### R5SREPRO287 - NUMBER OF ABORTION FACILITIES WITHIN 50 MILES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |

|  |  |       |       |        |  |
|--|--|-------|-------|--------|--|
|  |  | Total | 9,446 | 45.53% |  |
|--|--|-------|-------|--------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11299 | 9446    | 0       | 83      | 12.534560... | 19.787934... |

### R5SREPRO288 - NUMBER OF ABORTION FACILITIES OFFERING MAB WITHIN 50 MILES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,446     | 45.53%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11299 | 9446    | 0       | 70      | 11.603947... | 17.758202... |

### R5SREPRO289 - NUMBER OF ABORTION FACILITIES OFFERING TAB WITHIN 50 MILES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                                           | Frequency | % of total | % of valid |
|---------|-------|-------------------------------------------|-----------|------------|------------|
| Missing | -9991 | not interviewed                           | 8445      | 40.71%     |            |
|         | -9990 | geocode missing                           | 931       | 4.49%      |            |
|         | -9987 | driving distances could not be calculated | 70        | 0.34%      |            |
|         |       | Total                                     | 9,446     | 45.53%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11299 | 9446    | 0       | 61      | 8.9678732... | 13.707833... |

### S5SREPRO290 - NUMBER OF ABORTION FACILITIES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |

|  |  |       |       |       |  |
|--|--|-------|-------|-------|--|
|  |  | Total | 9,376 | 45.2% |  |
|--|--|-------|-------|-------|--|

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1       | 157     | 38.887764... | 49.992016... |

### S5SREPRO291 - NUMBER OF WOMEN OF REPRODUCTIVE AGE PER FACILITY

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 13755   | 1356955 | 220320.33... | 246823.35... |

### S5SREPRO292 - FACILITY CLOSURES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 9472      | 45.66%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 18,848    | 90.86%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 1897  | 18848   | 0       | 7       | 1.4101212... | 1.5252663... |

### S5SREPRO293 - NEW FACILITIES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 9472      | 45.66%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 18,848    | 90.86%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 1897  | 18848   | 0       | 16      | 0.3547706... | 0.7520153... |

 S5SREPRO294 - NET CHANGE IN NUMBER OF OPEN FACILITIES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 9472      | 45.66%     |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 18,848    | 90.86%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 1897  | 18848   | -5      | 9       | -1.052187... | 1.4964503... |

 S5SREPRO295 - FACILITIES OFFERING PROCEDURAL ABORTION ONLY

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 8       | 1.5951271... | 2.3194737... |

 S5SREPRO296 - FACILITIES OFFERING MEDICATION ABORTION ONLY

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 67      | 12.770164... | 22.534578... |

 S5SREPRO297 - FACILITIES OFFERING BOTH PROCEDURAL AND MEDICATION ABORTIONS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 1       | 87      | 24.421409... | 27.027753... |

### S5SREPRO298 - GESTATIONAL LIMIT FOR MEDICATION ABORTION, MEAN

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 7       | 10      | 9.1645703... | 0.9645862... |

### S5SREPRO299 - GESTATIONAL LIMIT FOR MEDICATION ABORTION, MINIMUM

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 6       | 10      | 7.5062890... | 1.3479008... |

### S5SREPRO300 - GESTATIONAL LIMIT FOR MEDICATION ABORTION, MAXIMUM

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean | StdDev |
|-------|---------|---------|---------|------|--------|
|-------|---------|---------|---------|------|--------|

|       |      |   |    |              |              |
|-------|------|---|----|--------------|--------------|
| 11369 | 9376 | 8 | 12 | 9.8541648... | 0.6154677... |
|-------|------|---|----|--------------|--------------|

### S5SREPRO301 - GESTATIONAL LIMIT FOR PROCEDURAL ABORTION, MEAN

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 12      | 25      | 17.777025... | 2.6168296... |

### S5SREPRO302 - GESTATIONAL LIMIT FOR PROCEDURAL ABORTION, MINIMUM

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 6       | 22      | 11.979681... | 3.9559536... |

### S5SREPRO303 - GESTATIONAL LIMIT FOR PROCEDURAL ABORTION, MAXIMUM

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 12      | 28      | 22.654323... | 2.6312066... |

### S5SREPRO304 - MEDIAN COST OF MEDICATION ABORTION SERVICES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1776      | 8.56%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,152    | 53.76%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9593  | 11152   | 375     | 950     | 514.58772... | 75.151740... |

### S5SREPRO305 - MEDIAN COST OF FIRST TRIMESTER PROCEDURAL ABORTION SERVICES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 1776      | 8.56%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 11,152    | 53.76%     |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 9593  | 11152   | 375     | 1099    | 495.47482... | 89.063888... |

### S5SREPRO306 - MEDIAN COST OF SECOND TRIMESTER PROCEDURAL ABORTION SERVICES

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                            | Frequency | % of total | % of valid |
|---------|-------|----------------------------|-----------|------------|------------|
| Missing | -9992 | missing in the source data | 2677      | 12.9%      |            |
|         | -9991 | not interviewed            | 8445      | 40.71%     |            |
|         | -9990 | geocode missing            | 931       | 4.49%      |            |
|         |       | Total                      | 12,053    | 58.1%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 8692  | 12053   | 460     | 2200    | 1121.5060... | 460.64672... |

### S5SREPRO307 - FACILITIES THAT ACCEPT INSURANCE

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |       |                 |       |        |  |
|---------|-------|-----------------|-------|--------|--|
| Missing | -9991 | not interviewed | 8445  | 40.71% |  |
|         | -9990 | geocode missing | 931   | 4.49%  |  |
|         |       | Total           | 9,376 | 45.2%  |  |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 144     | 32.926554... | 47.715183... |

### S5SREPRO308 - NUMBER OF INDEPENDENT CLINICS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 66      | 19.377165... | 21.142929... |

### S5SREPRO309 - NUMBER OF PLANNED PARENTHOODS

|      |                  |
|------|------------------|
| Type | Numeric (Double) |
|------|------------------|

|         |       |                 | Frequency | % of total | % of valid |
|---------|-------|-----------------|-----------|------------|------------|
| Missing | -9991 | not interviewed | 8445      | 40.71%     |            |
|         | -9990 | geocode missing | 931       | 4.49%      |            |
|         |       | Total           | 9,376     | 45.2%      |            |

| Valid | Invalid | Minimum | Maximum | Mean         | StdDev       |
|-------|---------|---------|---------|--------------|--------------|
| 11369 | 9376    | 0       | 91      | 19.329756... | 30.279464... |